

Hansen A.K., Justesen M.J., Kepfer-Rojas S., Byriel D.B., Pedersen J. & Solodovnikov A. 2018: Ecogeographic patterns in a mainland-island system in Northern Europe as inferred from the rove beetles (Coleoptera: Staphylinidae) on Læsø island. — *Eur. J. Entomol.* **115**: 256–263.

Table S3. Microhabitat preference of rove beetles on Læsø and adjacent mainland regions in Denmark and Sweden. The value 1 represents the presence of the species and 0 the absence of the species in a given microhabitat. Microhabitat definitions are given in Table S4.

Species	Mycetophile	Nidicols	Myrmecophile	Dead wood	Vegetation	Moss	Soil	Leaf litter	Dung	Carrion	Compost
<i>Eusphalerum primulae</i> (Stephens, 1834)	0	0	0	0	1	0	1	0	0	0	0
<i>Eusphalerum minutum</i> (Fabricius, 1792)	0	0	0	0	1	0	0	0	0	0	0
<i>Eusphalerum sorbicola</i> (Kangas, 1941)	0	0	0	0	1	0	0	0	0	0	0
<i>Eusphalerum luteum</i> (Marsham, 1802)	0	0	0	0	1	0	0	0	0	0	0
<i>Eusphalerum sorbi</i> (Gyllenhal, 1810)	0	0	0	0	1	0	0	0	0	0	0
<i>Eusphalerum torquatum</i> (Marsham, 1802)	0	0	0	0	1	0	1	0	0	0	0
<i>Acrulia inflata</i> (Gyllenhal, 1813)	0	0	0	1	0	0	0	0	0	0	1
<i>Pycnoglypta lurida</i> (Gyllenhal, 1813)	0	0	0	0	0	0	0	1	0	0	1
<i>Acrolocha minuta</i> (Olivier, 1795)	0	0	0	0	0	0	1	0	0	1	0
<i>Acrolocha pliginskii</i> Bernhauer, 1912	0	0	0	0	0	0	0	0	0	1	0
<i>Acrolocha sulcula</i> (Stephens, 1834)	0	0	0	0	0	0	0	0	0	1	0
<i>Phyllodrepa melanocephala</i> (Fabricius, 1787)	0	1	0	1	1	0	0	1	0	0	1
<i>Phyllodrepa salicis</i> (Gyllenhal, 1810)	0	1	0	1	1	0	0	0	0	0	1
<i>Phyllodrepa nigra</i> (Gravenhorst, 1806)	1	1	1	1	1	0	0	0	0	0	1
<i>Phyllodrepa puberula</i> Bernhauer, 1903	0	1	0	0	0	0	0	0	0	0	1
<i>Phyllodrepa floralis</i> (Paykull, 1789)	0	0	0	1	1	0	0	0	1	0	1
<i>Phyllodrepa melis</i> Hansen, 1940	0	1	0	0	0	0	0	0	0	0	0
<i>Dropephylla linearis</i> (Zetterstedt, 1828)	0	0	0	0	1	0	0	1	0	0	1
<i>Dropephylla ioptera</i> (Stephens, 1832)	0	0	0	1	0	0	0	0	0	0	0
<i>Dropephylla vilis</i> (Erichson, 1840)	0	0	0	1	0	0	0	0	0	0	0
<i>Dropephylla gracilicornis</i> (Fairmaire & Laboulbène, 1856)	0	0	0	1	0	0	0	0	0	0	0
<i>Hapalaraea pygmaea</i> (Paykull, 1800)	0	1	0	1	1	1	0	1	0	0	0
<i>Hapalaraea devillei</i> Bernhauer, 1914	0	0	0	1	1	0	0	1	0	0	0

<i>Hypopycna rufula</i> (Erichson, 1840)	0	0	0	1	0	1	0	1	0	0	0
<i>Omalium rugulipenne</i> Rye, 1864	0	0	0	0	0	0	0	1	0	0	1
<i>Omalium laeviusculum</i> Gyllenhal, 1827	0	0	0	0	0	0	0	1	0	0	0
<i>Omalium riparium</i> Thomson, 1857	0	0	0	0	0	0	0	1	0	0	0
<i>Omalium validum</i> Kraatz, 1858	0	0	0	0	0	0	0	1	0	0	1
<i>Omalium rivulare</i> (Paykull, 1789)	1	1	0	0	0	0	0	0	1	1	1
<i>Omalium septentrionis</i> Thomson, 1857	1	1	0	0	0	0	0	0	1	1	0
<i>Omalium allardi</i> Fairmaire & Brisout de Barneville, 1859	0	0	0	0	0	0	0	1	0	0	1
<i>Omalium oxyacanthae</i> Gravenhorst, 1806	1	0	0	0	0	0	0	0	1	1	1
<i>Omalium laticolle</i> Kraatz, 1857	0	0	0	0	0	0	0	1	1	1	1
<i>Omalium exiguum</i> Gyllenhal, 1810	1	0	0	0	0	0	0	1	0	1	0
<i>Omalium littorale</i> Kraatz, 1857	0	0	0	0	0	0	0	1	0	0	0
<i>Omalium caesum</i> Gravenhorst, 1806	0	1	0	1	0	0	0	1	1	1	1
<i>Omalium rugatum</i> Mulsant & Rey, 1880	0	0	0	1	0	0	0	1	0	0	0
<i>Omalium excavatum</i> Stephens, 1834	0	1	0	0	1	0	0	1	0	0	1
<i>Phloeonomus monilicornis</i> Gravenhorst, 1810	0	0	0	0	1	0	0	0	0	0	0
<i>Phloeostiba plana</i> (Paykull, 1792)	0	0	0	1	0	0	0	0	0	0	0
<i>Phloeostiba lapponica</i> (Zetterstedt, 1838)	0	0	0	1	0	0	0	0	0	0	0
<i>Phloeonomus pusillus</i> (Gravenhorst, 1806)	0	0	0	1	0	0	0	0	0	0	0
<i>Phloeonomus sjobergi</i> Strand, 1937	0	0	0	1	1	0	0	1	0	0	0
<i>Phloeonomus punctipennis</i> Thomson, 1867	0	0	0	1	0	0	0	0	0	0	0
<i>Xylodromus depressus</i> (Gravenhorst, 1802)	0	0	0	1	0	1	0	1	0	0	1
<i>Xylodromus affinis</i> (Gerhardt, 1877)	0	1	0	1	0	0	0	1	0	0	0
<i>Xylodromus concinnus</i> Marsham, 1802	0	1	0	0	0	0	0	1	0	0	1
<i>Xylodromus testaceus</i> (Erichson, 1840)	0	0	0	1	0	0	0	1	0	0	0
<i>Micralymma marinum</i> (Ström, 1783)	0	0	0	0	0	0	0	1	0	0	1
<i>Philorinum sordidum</i> (Stephens, 1834)	0	0	0	0	1	0	0	1	0	0	0
<i>Orochares angustatus</i> (Erichson, 1840)	0	0	0	0	0	0	0	1	1	0	1
<i>Phyllodrepoidea crenata</i> Ganglbauer, 1895	0	0	0	1	0	0	0	1	0	0	0
<i>Deliphrum tectum</i> (Paykull, 1789)	0	0	0	0	1	0	0	1	0	0	1
<i>Anthobium melanocephalum</i> (Illiger, 1794)	1	0	0	0	0	0	0	1	0	0	0
<i>Anthobium atrocephalum</i> (Gyllenhal, 1827)	0	0	0	0	0	0	1	0	0	0	0
<i>Anthobium unicolor</i> (Marsham, 1802)	0	0	0	0	0	0	1	0	0	0	0
<i>Anthobium fuscum</i> (Erichson, 1839)	0	0	0	0	0	0	1	0	0	0	0

<i>Olophrum piceum</i> (Gyllenhal, 1810)	0	0	0	1	0	1	1	1	0	0	0
<i>Olophrum fuscum</i> (Gravenhorst, 1806)	0	0	0	0	1	1	0	1	0	0	0
<i>Olophrum assimile</i> (Paykull, 1800)	0	1	0	0	0	0	0	1	0	0	0
<i>Olophrum consimile</i> (Gyllenhal, 1810)	0	0	0	0	0	0	0	1	0	0	0
<i>Arpedium quadrum</i> (Gravenhorst, 1806)	0	1	0	0	1	1	1	1	0	0	0
<i>Eucnecosum brachypterum</i> (Gravenhorst, 1802)	0	0	0	0	1	1	0	0	0	0	0
<i>Acidota crenata</i> (Fabricius, 1793)	0	1	0	0	1	1	0	1	0	0	0
<i>Acidota cruentata</i> Mannerheim, 1830	0	1	0	0	0	1	0	1	0	0	0
<i>Lesteva punctata</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Lesteva sicula</i> Erichson, 1840	0	0	0	0	1	1	0	1	0	0	0
<i>Lesteva longoelytrata</i> (Goeze, 1777)	0	0	0	0	1	1	1	1	0	0	0
<i>Lesteva hanseni</i> Lohse, 1953	0	0	0	0	0	1	0	1	0	0	0
<i>Lesteva pubescens</i> Mannerheim, 1830	0	0	0	0	0	1	1	1	0	0	0
<i>Geodromicus plagiatu</i> s (Fabricius, 1798)	0	0	0	0	0	1	1	1	0	0	0
<i>Geodromicus hoejeri</i> Palm, 1961	0	0	0	0	0	0	1	1	0	0	0
<i>Anthophagus omalinus</i> Zetterstedt 1828	0	0	0	0	1	0	0	0	0	0	0
<i>Anthophagus caraboides</i> (Linnaeus, 1758)	0	0	0	1	1	0	0	0	0	0	0
<i>Coryphium angusticolle</i> Stephens, 1834	0	0	0	1	1	0	0	1	0	0	0
<i>Boreaphilus henningianus</i> Sahlberg, 1832	0	0	0	0	0	1	0	0	0	0	0
<i>Metopsia similis</i> Zerche, 1998	0	0	0	0	0	1	0	0	0	0	0
<i>Megarathrus prosseni</i> Schatzmayr, 1904	0	0	0	0	0	0	0	0	0	1	1
<i>Megarathrus strandi</i> Scheerpeltz, 1931	0	0	0	0	1	0	0	0	0	1	0
<i>Megarathrus depressus</i> (Paykull, 1789)	1	1	0	0	0	0	0	0	1	1	1
<i>Megarathrus denticollis</i> (Beck, 1817)	0	0	0	0	0	0	0	1	1	0	1
<i>Megarathrus fennicus</i> Lahtinen, 1938	0	0	0	0	0	0	0	0	1	1	0
<i>Proteinus ovalis</i> Stephens, 1832	1	0	0	0	1	0	0	1	0	0	0
<i>Proteinus brachypterus</i> (Fabricius, 1792)	1	0	0	0	0	0	0	0	0	1	1
<i>Proteinus laevigatus</i> Hochhuth, 1872	0	0	0	0	0	0	0	0	0	1	0
<i>Proteinus atomarius</i> Erichson, 1840	1	0	0	0	0	0	0	1	1	1	1
<i>Arrhenopeplus tesserula</i> (Curtis, 1828)	0	0	0	0	0	0	0	0	0	0	0
<i>Micropeplus latus</i> Hampe, 1861	1	0	0	1	0	0	0	0	0	0	0
<i>Micropeplus fulvus</i> Erichson, 1840	0	0	0	0	0	0	0	1	1	0	1
<i>Micropeplus porcatus</i> (Paykull, 1789)	0	0	0	0	1	0	0	1	0	0	1
<i>Micropeplus caelatus</i> Erichson, 1839	0	0	0	0	0	1	0	1	0	0	0

<i>Bibloporus ultimus</i> Guillebeau, 1892	0	0	0	1	1	0	0	0	0	0	1
<i>Bibloporus bicolor</i> (Denny, 1825)	0	0	0	1	1	1	0	0	0	0	1
<i>Bibloporus minutus</i> Raffray, 1914	0	0	0	1	0	0	0	0	0	0	1
<i>Pseudoplectus perplexus</i> (Jacquelin du Val, 1854)	0	0	0	0	0	0	0	1	0	0	0
<i>Biblopectus tenebrosus</i> (Reitter, 1880)	0	0	0	0	1	1	0	1	0	0	0
<i>Biblopectus spinosus</i> Raffray, 1914	0	0	0	0	0	1	0	1	0	0	0
<i>Biblopectus ambiguus</i> (Reichenbach, 1816)	0	0	0	0	0	0	0	1	0	0	0
<i>Biblopectus minutissimus</i> (Aubé, 1833)	0	1	0	0	0	1	1	1	0	0	0
<i>Euplectus nanus</i> (Reichenbach, 1816)	0	0	0	1	1	0	0	1	1	0	1
<i>Euplectus kirbii</i> Denny, 1825	0	0	0	1	1	0	0	0	0	0	0
<i>Euplectus piceus</i> Motschulsky, 1835	0	0	0	1	1	0	0	1	0	0	1
<i>Euplectus decipiens</i> Raffray, 1910	0	0	0	1	1	1	0	0	0	0	0
<i>Euplectus infirmus</i> Raffray, 1910	0	0	0	0	1	0	0	0	0	0	0
<i>Euplectus bescidicus</i> Reitter, 1881	0	0	0	1	1	1	0	0	0	0	0
<i>Euplectus sanguineus</i> Denny, 1825	0	0	0	0	0	0	0	0	1	0	1
<i>Euplectus signatus</i> (Reichenbach, 1816)	0	0	1	0	0	0	0	0	1	0	1
<i>Euplectus bonvouloiri</i> Reitter, 1881	0	0	0	0	1	0	0	0	0	0	0
<i>Euplectus punctatus</i> Mulsant & Rey, 1861	0	0	0	1	1	1	0	0	0	0	0
<i>Euplectus tholini</i> Guillebeau, 1888	0	0	0	0	1	0	0	0	0	0	0
<i>Euplectus karstenii</i> (Reichenbach, 1816)	0	0	0	1	1	0	0	0	1	0	1
<i>Euplectus mutator</i> Fauvel, 1895	0	0	0	1	1	0	0	0	0	0	0
<i>Euplectus brunneus</i> Grimmer, 1841	0	0	0	1	1	1	0	0	0	0	0
<i>Euplectus duponti</i> Aubé, 1833	0	0	0	1	0	0	0	0	0	0	0
<i>Plectophloeus nitidus</i> (Fairmaire, 1857)	0	0	0	1	1	0	0	0	0	0	0
<i>Plectophloeus nubigena</i> (Reitter, 1876)	0	0	0	1	1	0	0	0	0	0	0
<i>Plectophloeus erichsoni</i> (Aubé, 1844)	0	0	0	1	1	0	0	0	0	0	0
<i>Trimium brevicorne</i> (Reichenbach, 1816)	0	1	0	1	1	1	0	1	1	0	1
<i>Batrisodes venustus</i> (Reichenbach, 1816)	0	0	1	1	0	0	0	0	0	0	0
<i>Batrisodes adnexus</i> (Hampe, 1863)	0	0	1	1	0	0	0	0	0	0	0
<i>Bythinus macropalpus</i> Aubé, 1833	0	0	0	0	1	1	0	1	0	0	0
<i>Bythinus burrellii</i> Denny, 1825	0	0	0	0	1	0	0	1	0	0	0
<i>Bryaxis puncticollis</i> (Denny, 1825)	0	0	0	0	1	0	0	0	0	0	0
<i>Bryaxis bulbifer</i> (Reichenbach, 1816)	0	0	0	0	1	1	0	1	0	0	0
<i>Bryaxis clavicornis</i> (Panzer, 1806)	0	0	0	0	1	1	0	0	0	0	0

<i>Bryaxis curtisii</i> (Leach, 1817)	0	0	0	1	1	1	0	0	0	0	0
<i>Trichonyx sulcicollis</i> (Reichenbach, 1816)	0	0	0	1	1	1	0	0	1	0	1
<i>Amauronyx maerkelii</i> (Aubé, 1844)	0	0	0	1	1	1	0	0	0	0	0
<i>Tychus niger</i> (Paykull, 1800)	0	0	0	0	1	1	0	1	0	0	0
<i>Tychus monilicornis</i> Reitter, 1880	0	0	0	0	0	0	0	1	0	0	0
<i>Tychus normandi</i> Jeannel, 1950	0	0	0	0	0	1	1	0	0	0	0
<i>Rybaxis longicornis</i> (Leach, 1817)	0	0	0	0	0	0	1	1	0	0	0
<i>Rybaxis laminata</i> (Motschulsky, 1836)	0	0	0	0	0	0	1	1	0	0	0
<i>Brachygluta fossulata</i> (Reichenbach, 1816)	0	0	0	0	1	1	1	0	0	0	1
<i>Brachygluta haematica</i> (Reichenbach, 1816)	0	0	0	0	0	1	1	1	0	0	0
<i>Brachygluta helferi</i> (Schmidt-Goebel, 1836)	0	0	0	0	0	0	0	1	0	0	1
<i>Reichenbachia juncorum</i> (Leach, 1817)	0	1	0	0	0	1	0	1	0	0	0
<i>Fagniezia impressa</i> (Panzer, 1805)	0	0	0	1	0	1	0	1	0	0	0
<i>Pselaphaulax dresdensis</i> (Herbst, 1792)	0	0	0	0	0	1	0	1	0	0	0
<i>Pselaphus heisei</i> Herbst, 1792	0	0	0	1	0	1	0	1	0	0	1
<i>Tyrus mucronatus</i> (Panzer, 1803)	0	0	0	1	0	0	0	0	0	0	0
<i>Claviger testaceus</i> Preyssler, 1790	0	0	1	0	0	0	0	0	0	0	0
<i>Claviger longicornis</i> Müller, 1818	0	0	1	0	0	0	0	0	0	0	0
<i>Phloeocharis subtilissima</i> Mannerheim, 1830	0	0	0	1	0	0	0	1	0	0	0
<i>Olisthaerus substriatus</i> (Paykull, 1790)	1	0	0	1	0	0	0	0	0	0	0
<i>Mycetoporus tenuis</i> Mulsant & Rey, 1853	0	0	0	0	1	1	0	1	0	0	0
<i>Mycetoporus altaicus</i> Luze, 1901	0	0	0	0	1	1	0	1	0	0	1
<i>Mycetoporus monticola</i> Fowler, 1888	0	0	0	0	0	1	0	1	0	0	0
<i>Mycetoporus erichsonanus</i> Fagel, 1965	0	0	0	1	1	1	1	0	0	0	1
<i>Mycetoporus baudueri</i> Mulsant & Rey, 1875	0	0	0	0	1	1	1	0	0	0	0
<i>Mycetoporus lepidus</i> (Gravenhorst, 1806)	0	0	1	1	1	1	0	1	0	0	1
<i>Mycetoporus longulus</i> Mannerheim, 1830	0	0	0	1	1	1	0	1	0	0	1
<i>Mycetoporus bimaculatus</i> Lacordaire, 1835	0	0	0	0	1	1	0	0	0	0	0
<i>Mycetoporus despectus</i> Strand, 1969	0	0	0	0	0	1	0	1	0	0	0
<i>Mycetoporus nigricollis</i> Stephens, 1835	0	0	0	0	1	1	1	0	0	0	1
<i>Mycetoporus glaber</i> (Sperk, 1835)	0	0	0	0	1	1	1	0	0	0	1
<i>Mycetoporus forticornis</i> Fauvel, 1875	0	0	0	0	1	1	1	0	0	0	0
<i>Mycetoporus clavicornis</i> (Stephens, 1832)	1	0	0	0	1	1	0	1	0	0	1
<i>Mycetoporus pachyraphis</i> (Pandellé, 1869)	0	0	0	1	0	1	1	1	0	0	0

<i>Mycetoporus niger</i> Fairmaire & Laboulbène, 1856	0	0	0	1	1	1	0	0	0	0	0
<i>Mycetoporus rufescens</i> (Stephens, 1832)	1	0	0	1	1	1	0	1	0	0	1
<i>Mycetoporus eppelsheimianus</i> Fagel, 1968	0	0	0	0	0	1	0	0	0	0	0
<i>Mycetoporus punctus</i> (Gravenhorst, 1806)	0	0	0	1	1	1	0	0	0	0	0
<i>Ischnosoma bergrothi</i> (Hellen, 1925)	0	0	0	0	0	1	0	0	0	0	0
<i>Ischnosoma longicorne</i> (Mäklin, 1847)	0	0	0	0	0	0	0	0	0	0	0
<i>Ischnosoma splendidum</i> (Gravenhorst, 1806)	0	0	0	0	0	1	0	0	0	0	0
<i>Bryoporus cernuus</i> (Gravenhorst, 1806)	1	0	0	1	1	1	0	0	0	0	0
<i>Bryophacis crassicornis</i> (Mäklin, 1847)	0	0	0	0	1	1	0	0	0	0	0
<i>Carphacis striatus</i> (Olivier, 1795)	1	0	0	1	0	0	0	0	0	0	0
<i>Lordithon thoracicus</i> (Fabricius, 1777)	1	0	0	0	1	0	0	0	0	0	0
<i>Lordithon exoletus</i> (Erichson, 1839)	1	0	0	0	1	0	0	0	0	0	0
<i>Lordithon trinotatus</i> (Erichson, 1839)	1	0	0	0	0	0	0	0	0	0	0
<i>Lordithon lunulatus</i> (Linnaeus, 1760)	1	0	0	0	0	0	0	0	0	1	0
<i>Lordithon pulchellus</i> (Mannerheim, 1830)	1	0	0	1	1	0	0	0	0	0	0
<i>Lordithon speciosus</i> (Erichson, 1839)	1	0	0	0	0	0	0	0	0	0	0
<i>Bolitobius cingulatus</i> Mannerheim, 1830	0	0	0	1	1	1	0	1	0	0	0
<i>Bolitobius castaneus</i> (Stephens, 1832)	1	0	0	1	1	1	0	1	0	0	1
<i>Parabolitobius inclinans</i> (Gravenhorst, 1806)	0	0	0	0	0	0	0	0	0	0	0
<i>Sepedophilus littoreus</i> (Linnaeus, 1758)	0	0	0	1	0	0	0	1	0	0	1
<i>Sepedophilus testaceus</i> (Fabricius, 1793)	0	1	1	1	1	1	0	1	0	0	0
<i>Sepedophilus marshami</i> (Stephens, 1832)	1	0	1	1	1	1	1	1	0	0	1
<i>Sepedophilus constans</i> (Fowler, 1888)	1	0	0	0	0	0	0	1	0	0	0
<i>Sepedophilus lusitanicus</i> Hammond, 1973	0	0	0	1	0	0	0	0	0	0	0
<i>Sepedophilus immaculatus</i> (Stephens, 1832)	0	0	0	1	1	1	0	1	0	0	0
<i>Sepedophilus bipunctatus</i> (Gravenhorst, 1802)	1	0	0	1	0	0	0	0	0	0	0
<i>Sepedophilus bipustulatus</i> (Gravenhorst, 1802)	1	0	0	0	0	0	0	0	0	0	0
<i>Sepedophilus pedicularius</i> (Gravenhorst, 1802)	0	0	0	1	1	1	1	1	0	0	0
<i>Sepedophilus nigripennis</i> (Stephens, 1832)	0	0	0	0	1	0	1	0	0	0	0
<i>Tachyporus nitidulus</i> (Fabricius, 1781)	1	0	0	0	1	1	0	1	0	0	1
<i>Tachyporus obtusus</i> (Linnaeus, 1767)	0	0	0	1	1	1	1	0	0	0	1
<i>Tachyporus abdominalis</i> (Fabricius, 1781)	0	0	0	0	0	0	0	1	0	0	0
<i>Tachyporus solutus</i> Erichson, 1839	0	0	0	0	1	1	1	1	0	0	1
<i>Tachyporus pallidus</i> Sharp, 1871	0	0	0	0	0	0	1	1	0	0	0

<i>Tachyporus hypnorum</i> (Fabricius, 1775)	0	0	0	0	1	1	0	1	1	0	1
<i>Tachyporus chrysomelinus</i> (Linnaeus, 1758)	0	0	0	0	1	1	0	1	1	0	1
<i>Tachyporus dispar</i> (Paykull, 1789)	0	0	0	0	1	0	0	0	0	0	0
<i>Tachyporus tersus</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Tachyporus atriceps</i> Stephens, 1832	0	0	0	1	1	1	0	1	0	0	0
<i>Tachyporus quadriscopulatus</i> Pandelle, 1869	0	0	0	0	0	1	1	1	0	0	0
<i>Tachyporus ruficollis</i> Gravenhorst, 1802	0	0	0	0	1	1	0	1	0	0	0
<i>Tachyporus transversalis</i> Gravenhorst, 1806	0	0	0	0	1	1	0	1	0	0	0
<i>Tachyporus pulchellus</i> Mannerheim, 1843	0	0	0	0	1	1	0	0	0	0	0
<i>Tachyporus pusillus</i> Gravenhorst, 1806	0	0	0	0	0	0	0	1	0	0	1
<i>Tachyporus scitulus</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	1
<i>Tachyporus corpulentus</i> J. Sahlberg, 1876	0	0	0	0	0	0	0	1	0	0	0
<i>Lamprinodes saginatus</i> (Gravenhorst, 1806)	0	0	1	0	1	1	0	0	0	0	0
<i>Tachinus rufipes</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	1	1	1
<i>Tachinus pallipes</i> (Gravenhorst, 1806)	1	0	0	0	0	0	0	1	1	1	1
<i>Tachinus marginatus</i> Gyllenhal, 1810	1	0	0	0	0	0	0	1	0	0	1
<i>Tachinus bipustulatus</i> (Fabricius, 1793)	0	0	0	1	1	0	0	1	0	0	0
<i>Tachinus proximus</i> Kraatz, 1855	1	0	0	1	0	0	0	1	1	1	1
<i>Tachinus rufipennis</i> Gyllenhal, 1810	0	1	0	0	1	1	0	0	0	0	1
<i>Tachinus subterraneus</i> (Linnaeus, 1758)	1	1	0	1	0	0	0	1	1	1	1
<i>Tachinus fimetarius</i> Gravenhorst, 1802	0	0	0	0	1	1	0	1	1	0	1
<i>Tachinus lignorum</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	1	1	0	1
<i>Tachinus corticinus</i> Gravenhorst, 1802	0	0	0	0	1	1	0	1	0	0	1
<i>Tachinus laticollis</i> Gravenhorst, 1802	0	0	0	0	1	1	0	1	1	1	1
<i>Tachinus marginellus</i> (Fabricius, 1781)	1	0	0	0	0	0	0	1	1	1	1
<i>Tachinus elongatus</i> Gyllenhal, 1810	0	0	0	0	1	1	0	1	1	1	1
<i>Cilea silphoides</i> (Linnaeus, 1767)	1	0	0	0	0	0	0	1	1	0	1
<i>Habrocerus capillaricornis</i> (Gravenhorst, 1806)	0	0	0	1	1	0	0	1	0	0	1
<i>Trichophya pilicornis</i> (Gyllenhal, 1810)	0	0	0	1	1	1	0	1	0	0	1
<i>Aleochara curtula</i> (Goeze, 1777)	0	0	0	0	1	0	0	1	0	1	1
<i>Aleochara spissicornis</i> Erichson, 1839	0	0	0	0	0	0	1	1	0	0	0
<i>Aleochara brevipennis</i> Gravenhorst, 1806	0	0	0	0	1	0	1	1	0	0	0
<i>Aleochara intricata</i> Mannerheim, 1830	0	0	0	0	1	0	0	0	1	1	1
<i>Aleochara tristis</i> Gravenhorst, 1806	0	0	0	0	0	0	0	1	1	0	1

<i>Aleochara moesta</i> Gravenhorst, 1802	0	0	0	0	0	0	0	1	0	0	1
<i>Aleochara inconspicua</i> Aubé, 1850	0	1	0	0	1	0	0	1	1	1	1
<i>Aleochara sparsa</i> Heer, 1839	1	1	1	1	1	0	0	1	0	0	1
<i>Aleochara stichai</i> Likovský, 1965	0	0	0	0	0	0	0	1	0	0	1
<i>Aleochara kamila</i> Likovský, 1984	0	1	0	0	0	0	0	0	0	0	0
<i>Aleochara funebris</i> Wollaston, 1864	0	0	0	0	0	0	0	1	1	0	1
<i>Aleochara peeziiana</i> Lohse, 1961	0	0	0	0	0	0	0	0	1	1	0
<i>Aleochara lanuginosa</i> Gravenhorst, 1802	1	1	0	0	0	0	0	0	1	1	1
<i>Aleochara lygaea</i> Kraatz, 1862	1	0	0	0	1	0	0	0	1	1	1
<i>Aleochara villosa</i> Mannerheim, 1830	0	1	0	1	1	0	0	0	1	1	1
<i>Aleochara sanguinea</i> (Linnaeus, 1758)	0	1	0	1	0	0	0	1	1	0	1
<i>Aleochara fumata</i> Gravenhorst, 1802	1	0	0	0	0	0	0	0	0	0	0
<i>Aleochara moerens</i> Gyllenhal, 1827	1	0	1	0	1	0	0	0	0	1	1
<i>Aleochara laevigata</i> Gyllenhal, 1810	0	1	0	0	0	0	0	1	1	1	1
<i>Aleochara cuniculorum</i> Kraatz, 1858	0	1	0	1	0	0	1	0	1	0	0
<i>Aleochara spadicea</i> (Erichson, 1839)	0	1	0	0	0	0	0	0	0	0	0
<i>Aleochara ruficornis</i> Gravenhorst, 1802	0	1	0	0	1	1	1	1	1	0	1
<i>Aleochara bilineata</i> Gyllenhal, 1810	1	0	0	0	0	0	0	1	1	0	1
<i>Aleochara binotata</i> Kraatz, 1856	0	0	0	0	1	0	1	0	1	1	1
<i>Aleochara verna</i> Say, 1836	0	0	0	0	0	0	1	0	1	0	0
<i>Aleochara bipustulata</i> (Linnaeus, 1761)	1	0	0	0	1	1	0	1	1	1	1
<i>Aleochara grisea</i> Kraatz, 1856	0	0	0	0	0	0	0	0	0	0	0
<i>Aleochara obscurella</i> Gravenhorst, 1806	0	0	0	0	0	0	0	0	0	0	0
<i>Aleochara punctatella</i> Motschulsky, 1858	0	0	0	0	0	0	1	0	0	0	0
<i>Tinotus morion</i> (Gravenhorst, 1802)	0	0	0	0	1	1	0	1	1	1	1
<i>Oxypoda elongatula</i> Aubé, 1850	0	0	0	0	1	1	0	1	0	0	0
<i>Oxypoda procerula</i> Mannerheim, 1830	0	0	0	0	1	1	0	1	0	0	0
<i>Oxypoda opaca</i> (Gravenhorst, 1802)	1	0	0	0	0	0	0	1	1	1	1
<i>Oxypoda nigricornis</i> Motschulsky, 1860	0	0	0	0	0	0	0	1	1	0	0
<i>Oxypoda longipes</i> Mulsant & Rey, 1861	0	1	0	0	1	0	0	1	0	0	1
<i>Oxypoda vittata</i> Märkel, 1842	0	1	1	1	1	0	0	0	0	1	0
<i>Oxypoda acuminata</i> (Stephens, 1832)	1	1	0	0	0	0	0	1	0	0	1
<i>Oxypoda spectabilis</i> Märkel, 1844	1	1	1	1	1	0	0	1	0	0	0
<i>Oxypoda funebris</i> Kraatz, 1856	0	0	0	0	1	1	0	1	0	0	0

<i>Oxypoda lentula</i> Erichson, 1837	0	0	0	0	1	1	0	1	0	0	0
<i>Oxypoda skalitzkyi</i> Bernhauer, 1902	0	0	0	1	1	0	0	1	0	0	1
<i>Oxypoda brevicornis</i> (Stephens, 1832)	1	0	0	0	1	1	0	0	0	0	0
<i>Oxypoda hansseni</i> Strand, 1946	0	0	0	1	1	0	0	1	0	0	0
<i>Oxypoda vicina</i> Kraatz, 1856	0	0	0	0	0	0	0	1	0	0	0
<i>Oxypoda abdominalis</i> Mannerheim, 1830	0	0	0	0	0	0	1	1	0	0	0
<i>Oxypoda strandi</i> Scheerpeltz, 1957	0	0	0	1	0	1	1	0	0	0	0
<i>Oxypoda rufa</i> Kraatz, 1856	1	0	0	1	1	1	0	1	0	0	0
<i>Oxypoda togata</i> Erichson, 1837	0	0	1	1	1	1	1	1	0	0	0
<i>Oxypoda exoleta</i> Erichson, 1839	0	0	0	0	0	0	1	1	1	0	1
<i>Oxypoda recondita</i> Kraatz, 1856	0	1	0	1	0	0	0	1	0	0	0
<i>Oxypoda alternans</i> (Gravenhorst, 1802)	1	0	0	0	1	0	0	0	0	0	0
<i>Oxypoda praecox</i> Erichson, 1839	0	1	0	0	1	1	1	1	0	0	0
<i>Oxypoda arborea</i> Zerche, 1994	0	0	1	0	1	1	0	0	0	0	0
<i>Oxypoda testacea</i> Erichson, 1837	0	0	1	1	1	1	1	1	0	0	1
<i>Oxypoda tarda</i> Sharp, 1871	0	0	0	0	1	0	1	1	0	0	0
<i>Oxypoda brachyptera</i> (Stephens, 1832)	1	0	1	0	0	0	1	1	0	1	1
<i>Oxypoda annularis</i> (Mannerheim, 1830)	1	0	1	1	0	1	0	1	0	0	1
<i>Oxypoda flavicornis</i> Kraatz, 1856	1	0	0	1	0	0	0	0	0	0	1
<i>Oxypoda advena</i> Mäklin, 1846	0	0	0	0	0	0	0	1	0	0	1
<i>Oxypoda soror</i> Thomson, 1855	0	1	0	0	0	0	0	1	0	0	0
<i>Oxypoda formiceticola</i> Märkel, 1841	0	0	1	0	0	0	0	0	0	0	0
<i>Oxypoda pratensisicola</i> Lohse, 1967	0	0	1	0	0	0	0	0	0	0	0
<i>Oxypoda rugicollis</i> Kraatz, 1856	1	0	0	0	0	0	0	0	0	0	0
<i>Oxypoda bicolor</i> (Mulsant & Rey, 1853)	0	0	0	1	0	0	0	1	0	0	1
<i>Oxypoda haemorrhoea</i> (Mannerheim, 1830)	0	0	1	0	1	0	0	1	0	0	1
<i>Devia prospera</i> (Erichson, 1837)	0	0	0	0	1	0	0	1	0	0	1
<i>Hygropora cunctans</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Acrostiba borealis</i> Thomson, 1858	0	0	0	0	0	0	0	1	1	1	0
<i>Ocyusa maura</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Ocyusa picina</i> (Aubé, 1850)	0	0	0	0	1	1	0	1	0	0	0
<i>Chilomorpha longitarsis</i> (Thomson, 1867)	0	0	0	0	0	0	1	1	0	0	0
<i>Calodera nigrita</i> Mannerheim, 1830	0	0	0	0	1	1	1	1	0	0	0
<i>Calodera protensa</i> Mannerheim, 1830	0	0	0	0	1	1	1	1	0	0	0

<i>Calodera rufescens</i> Kraatz, 1856	0	0	0	0	1	1	0	1	0	0	0
<i>Calodera aethiops</i> (Gravenhorst, 1802)	0	0	0	0	1	1	1	1	0	0	0
<i>Calodera uliginosa</i> Erichson, 1837	0	0	0	0	0	1	0	1	0	0	0
<i>Calodera riparia</i> Erichson, 1837	0	0	0	0	1	1	0	1	0	0	0
<i>Calodera rubens</i> Erichson, 1837	0	0	0	0	0	0	0	1	0	0	1
<i>Tetralaucopora rubicunda</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Stichoglossa semirufa</i> (Erichson, 1839)	0	0	0	0	1	1	0	0	0	0	0
<i>Ischnoglossa prolixa</i> (Gravenhorst, 1802)	0	0	0	1	1	1	0	1	0	0	0
<i>Ischnoglossa obscura</i> Wunderle, 1990	0	0	0	1	1	0	0	1	0	0	0
<i>Dexiogyia corticina</i> (Erichson, 1837)	0	0	0	1	0	0	0	0	0	0	0
<i>Dexiogyia forticornis</i> (Strand, 1939)	0	1	0	0	0	0	0	0	0	0	0
<i>Thiasophila angulata</i> (Erichson, 1837)	0	0	1	0	0	0	0	0	0	0	0
<i>Thiasophila lohsei</i> Zerche, 1987	0	0	1	0	0	0	0	0	0	0	0
<i>Thiasophila canaliculata</i> Mulsant & Rey, 1874	0	0	1	0	0	0	0	0	0	0	0
<i>Thiasophila wockii</i> (Schneider, 1862)	0	0	1	1	0	0	0	0	0	0	0
<i>Thiasophila inquilina</i> (Märkel, 1842)	0	0	1	1	0	0	0	0	0	0	0
<i>Crataraea suturalis</i> (Mannerheim, 1830)	1	1	1	0	0	0	0	1	1	0	1
<i>Haploglossa gentilis</i> (Märkel, 1844)	0	1	1	0	0	0	0	0	0	0	0
<i>Haploglossa villosula</i> (Stephens, 1832)	0	1	1	1	1	1	0	0	0	0	0
<i>Haploglossa nidicola</i> (Fairmaire, 1852)	0	1	0	0	1	0	1	0	0	0	0
<i>Haploglossa picipennis</i> (Gyllenhal, 1827)	0	1	0	0	0	0	0	0	0	0	0
<i>Haploglossa marginalis</i> (Gravenhorst, 1806)	0	1	1	1	1	1	0	0	0	0	0
<i>Mniusa incrassata</i> (Mulsant & Rey, 1852)	0	0	0	1	1	1	0	0	0	0	0
<i>Poromniusa crassa</i> (Eppelsheim, 1883)	0	0	0	0	0	1	1	1	0	0	0
<i>Ocalea badia</i> Erichson, 1837	0	0	0	0	1	1	0	1	0	0	1
<i>Ocalea picata</i> (Stephens, 1832)	0	0	0	0	1	1	1	1	0	0	0
<i>Ocalea concolor</i> Kiesenwetter, 1847	0	0	0	0	0	0	1	1	0	0	0
<i>Ocalea rivularis</i> Miller, 1851	0	0	0	0	0	1	0	1	0	0	0
<i>Ocalea latipennis</i> Sharp, 1870	0	0	0	0	0	1	0	1	0	0	0
<i>Ilyobates bennetti</i> Donisthorpe, 1914	0	0	0	0	1	1	0	1	0	0	0
<i>Ilyobates nigricollis</i> (Paykull, 1800)	0	1	0	0	1	1	0	1	0	0	0
<i>Pentanota meuseli</i> Bernhauer, 1905	0	0	0	1	1	0	0	0	0	0	1
<i>Amarochara umbrosa</i> (Erichson, 1837)	0	1	0	0	0	0	1	1	1	1	1
<i>Amarochara bonnairei</i> (Fauvel, 1865)	0	0	1	1	1	1	0	1	0	0	0

<i>Amarochara forticornis</i> (Lacordaire, 1835)	0	1	0	0	1	0	1	1	0	0	0
<i>Phloeopora testacea</i> (Mannerheim, 1830)	0	0	0	1	0	0	0	0	0	0	0
<i>Phloeopora nitidiventris</i> Fauvel, 1900	0	0	0	0	1	0	0	0	0	0	0
<i>Phloeopora corticalis</i> (Gravenhorst, 1802)	0	0	0	1	0	0	0	0	0	0	0
<i>Phloeopora concolor</i> (Kraatz, 1856)	0	0	0	1	0	0	0	0	0	0	0
<i>Dinarda dentata</i> (Gravenhorst, 1806)	0	0	1	0	0	0	0	0	0	0	0
<i>Dinarda hagensii</i> Wasmann, 1889	0	0	1	0	0	0	0	0	0	0	0
<i>Dinarda maerkelii</i> Kiesenwetter, 1843	0	0	1	0	0	0	0	0	0	0	0
<i>Meotica pallens</i> (Redtenbacher, 1849)	0	0	0	0	0	0	0	1	0	0	0
<i>Meotica finnmarkia</i> G. Benick, 1953	0	0	0	0	0	0	1	0	0	0	0
<i>Meotica filiformis</i> (Motschulsky, 1860)	0	1	0	0	1	1	0	0	0	0	0
<i>Meotica exillima</i> Sharp, 1915	0	0	0	0	1	1	0	0	0	0	0
<i>Meotica exilis</i> (Gravenhorst, 1806)	0	1	0	0	1	1	0	0	0	0	0
<i>Dasygnypeta velata</i> (Erichson, 1837)	0	0	0	0	1	0	1	0	0	0	0
<i>Gnypeta ripicola</i> (Kiesenwetter, 1844)	0	0	0	0	1	1	1	1	0	0	0
<i>Gnypeta carbonaria</i> (Mannerheim, 1830)	0	0	0	0	1	0	1	1	0	0	0
<i>Gnypeta rubrior</i> Tottenham, 1939	0	0	0	0	0	0	1	0	0	0	0
<i>Tachyusa coarctata</i> Erichson, 1837	0	0	0	0	0	0	1	0	0	0	0
<i>Tachyusa constricta</i> Erichson, 1837	0	0	0	0	0	0	1	0	0	0	0
<i>Thinonoma atra</i> (Gravenhorst, 1806)	0	0	0	0	0	1	1	1	0	0	0
<i>Ischnopoda leucopus</i> (Marshall, 1802)	0	0	0	0	0	0	1	1	0	0	0
<i>Ischnopoda umbratica</i> (Erichson, 1837)	0	0	0	0	0	0	1	1	0	0	0
<i>Tachyusa scitula</i> Erichson, 1837	0	0	0	0	0	0	1	1	0	0	0
<i>Brachyusa concolor</i> (Erichson, 1839)	0	0	0	0	0	0	1	1	0	0	0
<i>Trichomicra sahlbergiana</i> (Bernhauer, 1910)	0	0	0	0	1	0	0	0	0	0	0
<i>Dochmonota clancula</i> (Erichson, 1837)	0	0	0	0	0	1	0	1	0	0	0
<i>Dacrila fallax</i> (Kraatz, 1856)	0	0	0	0	1	1	0	0	0	0	0
<i>Brundinia meridionalis</i> (Mulsant & Rey, 1853)	0	0	0	0	0	0	0	1	0	0	0
<i>Brundinia marina</i> (Mulsant & Rey, 1853)	0	0	0	0	0	0	0	0	0	0	0
<i>Hydrosmeeta longula</i> (Heer, 1839)	0	0	0	0	0	0	1	1	0	0	0
<i>Hydrosmeeta tenella</i> (Mannerheim, 1830)	0	0	0	0	0	0	1	1	0	0	0
<i>Hydrosmeeta subtilissima</i> Kraatz, 1854	0	0	0	0	0	0	0	0	0	0	0
<i>Dilacra luteipes</i> (Erichson, 1837)	0	0	0	0	1	1	1	1	0	0	0
<i>Dilacra vilis</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0

<i>Ousipalia caesula</i> (Erichson, 1839)	0	0	0	0	1	0	1	0	0	1	0
<i>Tomoglossa luteicornis</i> (Erichson, 1837)	0	0	0	0	0	0	0	1	0	0	0
<i>Schistoglossa viduata</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Schistoglossa gemina</i> (Erichson, 1837)	0	0	0	0	0	1	0	1	0	0	0
<i>Schistoglossa pseudogemina</i> Benick, 1981	0	1	0	0	0	0	0	0	0	0	0
<i>Schistoglossa curtipennis</i> (Sharp, 1869)	0	0	0	0	0	1	0	0	0	0	1
<i>Schistoglossa aubei</i> (Brisout de Barneville, 1860)	0	0	0	0	0	1	0	1	0	0	1
<i>Aloconota planifrons</i> Waterhouse, 1864	0	0	0	0	0	0	0	1	0	0	0
<i>Aloconota sulcifrons</i> (Stephens, 1832)	0	0	0	0	0	0	0	1	0	0	1
<i>Aloconota insecta</i> (Thomson, 1856)	0	0	0	0	0	0	0	1	0	0	1
<i>Aloconota subgrandis</i> (Brundin, 1954)	0	0	0	0	0	0	0	1	0	0	1
<i>Aloconota gregaria</i> (Erichson, 1839)	0	0	0	0	0	0	0	0	0	0	0
<i>Aloconota languida</i> (Erichson, 1837)	0	0	0	0	0	0	0	1	0	0	1
<i>Aloconota coulsoni</i> (Last, 1952)	0	1	0	0	1	1	0	0	0	0	0
<i>Liogluta pagana</i> (Erichson, 1839)	0	1	0	0	1	0	0	0	0	0	0
<i>Liogluta granigera</i> (Kiesenwetter, 1850)	1	0	0	0	1	0	1	0	0	0	0
<i>Liogluta micans</i> (Mulsant & Rey, 1852)	0	0	0	0	0	1	0	1	0	0	0
<i>Liogluta longiuscula</i> (Gravenhorst, 1802)	0	0	0	0	1	0	0	1	0	0	1
<i>Liogluta microptera</i> Thomson, 1867	0	0	1	0	1	1	0	0	0	0	0
<i>Liogluta alpestris</i> (Heer, 1839)	0	0	0	0	0	0	0	1	0	0	0
<i>Geostiba circellaris</i> (Gravenhorst, 1806)	1	1	0	1	1	1	0	0	0	0	0
<i>Callicerus obscurus</i> Gravenhorst, 1802	0	1	0	0	1	1	0	1	0	0	1
<i>Callicerus rigidicornis</i> (Erichson, 1839)	0	0	0	0	1	0	1	1	0	0	1
<i>Dadobia immersa</i> (Erichson, 1837)	0	0	0	1	0	0	0	0	0	0	0
<i>Cadaverota cadaverina</i> (Brisout de Barneville, 1860)	0	0	0	0	0	0	0	1	1	0	1
<i>Cadaverota hansseni</i> (Strand, 1943)	1	0	0	0	0	0	0	1	1	0	1
<i>Philhygra arctica</i> (Thomson, 1856)	0	0	0	0	0	1	0	1	0	0	0
<i>Philhygra elongatula</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra hygrobica</i> (Thomson, 1856)	0	0	0	0	0	1	0	1	0	0	1
<i>Philhygra hygrotopora</i> (Kraatz, 1856)	0	0	0	0	0	1	0	0	0	0	0
<i>Philhygra luridipennis</i> (Mannerheim, 1830)	0	0	0	0	0	0	0	0	0	0	0
<i>Philhygra terminalis</i> (Gravenhorst, 1806)	0	0	0	0	1	1	0	0	0	0	0
<i>Philhygra grisea</i> (Thomson, 1852)	0	0	0	0	1	1	0	0	0	0	0
<i>Philhygra botildae</i> (Brundin, 1954)	0	0	0	0	0	1	0	0	0	0	0

<i>Philhygra tmolosensis</i> (Bernhauer, 1940)	0	0	0	0	0	0	0	1	0	0	0
<i>Philhygra gyllenhalii</i> (Thomson, 1856)	0	0	0	0	0	1	0	0	0	0	0
<i>Philhygra melanocera</i> (Thomson, 1856)	0	0	0	0	0	1	0	1	0	0	0
<i>Philhygra malleus</i> (Joy, 1913)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra volans</i> (Scriba, 1859)	0	0	0	0	0	1	0	1	0	0	1
<i>Philhygra obtusangula</i> (Joy, 1913)	0	0	0	0	0	1	0	1	0	0	1
<i>Philhygra palustris</i> (Kiesenwetter, 1844)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra debilis</i> (Erichson, 1837)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra debiloides</i> (Strand, 1962)	0	0	0	0	0	0	1	0	0	0	1
<i>Philhygra scotica</i> (Elliman, 1909)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra parca</i> (Mulsant & Rey, 1873)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra deformis</i> (Kraatz, 1856)	0	1	0	0	0	0	0	1	0	0	1
<i>Philhygra kaiseriana</i> (Brundin, 1943)	0	0	0	0	0	0	0	1	0	0	1
<i>Philhygra britteni</i> Joy, 1913	0	0	0	0	1	0	0	0	0	0	0
<i>Philhygra ripicola</i> (Hanssen, 1932)	0	0	0	1	0	0	0	1	0	0	1
<i>Philhygra fallaciosa</i> (Sharp, 1869)	0	0	0	0	0	0	0	0	0	0	0
<i>Atheta laticeps</i> (Thomson, 1856)	0	0	0	1	1	0	0	1	0	0	0
<i>Amidobia talpa</i> (Heer, 1841)	0	0	1	0	0	0	0	0	0	0	0
<i>Atheta benickiella</i> Brundin, 1948	1	0	0	0	1	0	0	0	0	0	0
<i>Atheta amicula</i> (Stephens, 1832)	1	1	0	1	0	0	0	1	0	1	1
<i>Atheta spatuloides</i> Benick, 1939	0	0	0	0	0	0	0	1	0	0	0
<i>Atheta inquinula</i> (Gravenhorst, 1802)	0	0	0	0	1	0	0	1	1	0	0
<i>Atheta excelsa</i> Bernhauer, 1911	0	1	0	0	1	0	0	0	0	0	0
<i>Atheta subtilis</i> (Scriba, 1866)	1	0	0	1	1	0	0	1	0	0	1
<i>Atheta atomaria</i> (Kraatz, 1856)	0	1	0	0	0	0	0	0	0	0	0
<i>Atheta kerstensi</i> Benick, 1968	0	0	0	0	0	0	0	0	0	1	0
<i>Atheta minuscula</i> (Brisout de Barneville, 1859)	0	0	0	0	0	0	0	1	1	0	1
<i>Atheta glabricula</i> Thomson, 1867	0	0	0	0	0	0	0	1	1	0	0
<i>Atheta glabriculoides</i> Strand, 1958	0	0	0	0	0	0	0	1	1	0	0
<i>Atheta indubia</i> (Sharp, 1869)	0	0	0	0	1	0	0	1	1	1	1
<i>Atheta liliputana</i> (Brisout de Barneville, 1860)	1	0	0	0	0	0	0	1	1	1	0
<i>Atheta boreella</i> Brundin, 1948	0	0	0	0	1	0	0	1	0	1	0
<i>Atheta zosteræ</i> (Thomson, 1856)	1	1	0	0	0	0	1	0	0	1	0
<i>Atheta nigra</i> (Kraatz, 1856)	0	0	0	0	1	1	1	1	1	1	1

<i>Atheta dadopora</i> Thomson, 1867	1	0	0	1	1	0	0	1	0	1	1
<i>Atheta canescens</i> (Sharp, 1869)	1	1	0	0	1	1	0	1	1	1	1
<i>Atheta sordidula</i> (Erichson, 1837)	1	0	0	0	0	0	0	1	1	1	1
<i>Atheta celata</i> (Erichson, 1837)	1	0	0	0	1	0	0	1	1	1	1
<i>Atheta myrmecobia</i> (Kraatz, 1856)	1	0	1	1	0	0	0	1	0	0	0
<i>Atheta laticollis</i> (Stephens, 1832)	1	0	0	0	1	0	0	1	0	0	1
<i>Atheta clientula</i> (Erichson, 1839)	0	1	0	0	0	0	0	1	0	0	1
<i>Atheta orphana</i> (Erichson, 1837)	0	0	0	0	1	0	0	1	0	0	0
<i>Atheta orbata</i> (Erichson, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Atheta negligens</i> (Mulsant & Rey, 1873)	0	0	0	1	1	1	0	1	0	0	0
<i>Atheta fungi</i> (Gravenhorst, 1806)	0	0	0	0	0	0	0	0	0	0	0
<i>Atheta amplicollis</i> (Mulsant & Rey, 1873)	0	0	0	0	1	1	0	1	0	0	0
<i>Atheta lateralis</i> (Mannerheim, 1830)	0	0	0	1	0	0	0	1	0	0	0
<i>Atheta scapularis</i> (Sahlberg, 1831)	1	0	0	0	0	0	0	1	0	0	0
<i>Atheta sodalis</i> (Erichson, 1837)	1	0	0	0	1	0	0	1	0	0	1
<i>Atheta gagatina</i> (Baudi, 1848)	1	1	0	1	1	0	0	1	0	1	0
<i>Atheta pandionis</i> Scheerpeltz, 1958	0	1	0	1	0	0	0	1	0	0	0
<i>Atheta pallidicornis</i> (Thomson, 1856)	1	0	0	1	1	0	0	1	0	0	0
<i>Atheta hybrida</i> (Sharp, 1869)	1	1	0	1	0	0	0	0	0	0	0
<i>Atheta trinotata</i> (Kraatz, 1856)	1	0	0	1	0	0	0	1	0	0	1
<i>Atheta subglabra</i> (Sharp, 1869)	0	0	0	0	0	1	0	1	0	0	0
<i>Notothecta flavipes</i> (Gravenhorst, 1806)	0	0	1	0	0	0	0	0	0	0	0
<i>Notothecta confusa</i> (Märkel, 1844)	0	0	1	0	0	0	0	0	0	0	0
<i>Neohilara subterranea</i> (Mulsant & Rey, 1853)	1	0	1	0	1	1	0	1	0	0	0
<i>Atheta macrocera</i> (Thomson, 1856)	0	0	0	0	0	0	0	1	1	1	1
<i>Atheta puncticollis</i> Benick, 1938	0	0	0	0	0	0	0	1	1	0	1
<i>Atheta longicornis</i> (Gravenhorst, 1802)	1	0	0	0	0	0	0	1	1	1	1
<i>Atheta cribripennis</i> J.Sahlberg, 1890	0	0	0	0	0	0	0	1	0	0	0
<i>Atheta subsinuata</i> (Erichson, 1839)	0	0	0	1	1	0	0	1	1	0	1
<i>Boreophilia eremita</i> (Rye, 1866)	0	0	0	0	0	1	0	0	0	0	0
<i>Atheta nigripes</i> (Thomson, 1856)	0	0	0	0	1	0	0	1	1	1	1
<i>Atheta marcida</i> (Erichson, 1837)	1	0	0	0	1	1	0	1	1	0	0
<i>Atheta cinnamoptera</i> (Thomson, 1856)	1	0	0	0	0	0	0	1	1	1	0
<i>Atheta aeneipennis</i> (Thomson, 1856)	0	0	0	0	0	0	0	1	0	0	0

<i>Atheta parapicipennis</i> Brundin, 1954	0	0	0	0	0	0	0	1	0	0	0
<i>Atheta picipennoides</i> Hanssen, 1932	0	0	0	0	0	0	0	1	0	0	0
<i>Atheta intermedia</i> (Thomson, 1852)	1	0	0	0	1	1	0	1	1	0	1
<i>Atheta cauta</i> (Erichson, 1837)	0	0	0	1	1	1	0	1	1	1	1
<i>Atheta ischnocera</i> Thomson, 1870	0	0	0	0	1	0	0	1	1	0	0
<i>Atheta setigera</i> (Sharp, 1869)	1	0	0	0	1	1	0	1	0	0	0
<i>Atheta laevana</i> (Mulsant & Rey, 1852)	1	0	0	0	0	0	0	1	1	1	0
<i>Atheta atramentaria</i> (Gyllenhal, 1810)	0	0	0	0	1	1	0	1	1	1	0
<i>Atheta hypnorum</i> (Kiesenwetter, 1850)	0	0	0	1	1	1	0	1	0	0	0
<i>Atheta castanoptera</i> (Mannerheim, 1830)	1	0	0	1	1	1	0	1	0	0	0
<i>Atheta triangulum</i> (Kraatz, 1856)	1	0	0	1	1	1	0	1	1	0	1
<i>Atheta xanthopus</i> (Thomson, 1856)	1	0	0	1	0	0	0	1	1	1	0
<i>Atheta graminicola</i> (Gravenhorst, 1806)	0	0	0	0	1	1	1	1	0	0	0
<i>Atheta ebenina</i> (Mulsant & Rey, 1873)	0	1	0	0	0	0	0	1	1	0	0
<i>Atheta heymesi</i> Hubenthal, 1813	0	1	0	0	0	0	0	1	0	0	0
<i>Atheta aquatilis</i> (Thomson, 1867)	0	0	0	0	1	1	0	0	0	0	0
<i>Atheta incognita</i> (Sharp, 1869)	0	0	0	1	0	0	0	1	0	0	0
<i>Atheta aquatica</i> (Thomson, 1852)	1	0	0	0	1	0	0	1	0	0	1
<i>Atheta aeneicollis</i> (Sharp, 1869)	1	0	0	1	1	0	0	1	0	0	1
<i>Atheta ravilla</i> (Erichson, 1839)	1	1	0	1	0	0	0	1	0	1	1
<i>Atheta procera</i> (Kraatz, 1856)	0	1	0	0	0	0	0	1	0	0	0
<i>Atheta basicornis</i> (Mulsant & Rey, 1852)	1	0	0	1	0	0	0	1	0	0	0
<i>Atheta nidicola</i> (Johansen, 1914)	0	1	0	0	0	0	0	0	0	0	1
<i>Atheta oblita</i> (Erichson, 1839)	0	0	0	1	0	0	0	1	0	0	0
<i>Atheta boletophila</i> (Thomson, 1856)	1	0	0	0	0	0	0	0	0	1	0
<i>Atheta diversa</i> (Sharp, 1869)	0	0	0	0	0	0	0	1	0	1	0
<i>Atheta strandiella</i> Brundin, 1954	0	0	0	0	0	1	0	1	0	1	0
<i>Atheta pilicornis</i> (Thomson, 1852)	1	0	0	1	0	0	0	0	0	0	0
<i>Atheta acutangula</i> Hanssen, 1936	0	0	0	0	0	0	0	1	0	0	1
<i>Atheta boleticola</i> J. Sahlberg, 1876	1	0	0	0	0	0	0	0	0	0	0
<i>Atheta fungicola</i> (Thomson, 1852)	1	0	0	0	1	0	0	1	0	1	0
<i>Atheta britanniae</i> Bernhauer & Scheerpeltz, 1926	1	0	0	0	0	0	0	1	0	1	0
<i>Atheta crassicornis</i> (Fabricius, 1792)	1	0	0	0	0	0	0	0	1	1	1
<i>Atheta paracrassicornis</i> Brundin, 1954	1	0	0	0	0	0	0	1	0	0	0

<i>Atheta pfaundleri</i> G Benick, 1940	0	0	0	0	0	1	0	1	0	0	0
<i>Atheta euryptera</i> (Stephens, 1832)	1	0	0	0	1	0	0	1	1	1	1
<i>Atheta divisa</i> (Märkel, 1844)	1	1	0	0	0	0	0	1	0	1	1
<i>Atheta liturata</i> (Stephens, 1832)	1	0	0	0	0	0	0	1	0	0	0
<i>Atheta nigricornis</i> (Thomson, 1852)	0	0	0	0	1	0	0	1	0	0	0
<i>Atheta harwoodi</i> Williams, 1930	0	1	0	1	1	0	0	0	0	1	1
<i>Plataraea nigrifrons</i> (Erichson, 1839)	0	0	0	0	1	0	0	0	0	0	0
<i>Plataraea brunnea</i> (Fabricius, 1798)	0	0	0	0	1	0	0	1	0	0	1
<i>Atheta nigritula</i> (Gravenhorst, 1802)	1	0	0	1	1	0	0	0	0	0	1
<i>Atheta picipes</i> (Thomson, 1856)	1	0	0	1	1	0	1	1	1	0	1
<i>Atheta occulta</i> (Erichson, 1837)	1	1	0	0	0	0	1	1	1	1	1
<i>Atheta fungivora</i> (Thomson, 1867)	1	0	0	1	0	1	0	1	0	1	1
<i>Atheta monticola</i> (Thomson, 1852)	0	0	0	0	0	0	0	1	0	1	1
<i>Atheta excellens</i> (Kraatz, 1856)	1	0	0	0	0	1	0	1	0	1	1
<i>Enalodroma hepatica</i> (Erichson, 1839)	0	1	0	0	1	0	0	0	0	0	0
<i>Atheta vestita</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	0	0	0	0
<i>Atheta corvina</i> (Thomson, 1856)	1	0	0	1	0	0	0	1	0	0	0
<i>Atheta sodermani</i> (Bernhauer, 1831)	0	1	0	0	0	0	0	0	1	1	0
<i>Atheta nitella</i> (Brundin, 1948)	0	1	0	0	0	1	0	1	0	0	0
<i>Alevonota rufotestacea</i> (Kraatz, 1856)	0	1	0	1	1	1	0	0	0	0	0
<i>Alevonota gracilentia</i> (Erichson, 1839)	0	0	0	0	1	1	0	0	0	0	1
<i>Alianta incana</i> (Erichson, 1837)	0	0	0	0	1	0	1	1	0	0	0
<i>Trichiusa immigrata</i> Lohse, 1984	0	0	0	0	0	0	0	0	1	0	1
<i>Pachnida nigella</i> (Erichson, 1837)	0	0	0	0	1	0	1	1	0	0	0
<i>Dinaraea angustula</i> (Gyllenhal, 1810)	0	0	0	1	1	0	1	1	0	0	1
<i>Dinaraea aequata</i> (Erichson, 1837)	0	0	0	1	0	0	0	0	0	0	0
<i>Dinaraea linearis</i> (Gravenhorst, 1802)	1	0	0	1	0	0	0	0	0	0	0
<i>Dinaraea arcana</i> (Erichson, 1839)	0	0	0	1	0	0	0	0	0	0	0
<i>Lyprocorrhe anceps</i> (Erichson, 1837)	0	0	1	0	0	0	0	0	0	0	0
<i>Nehemitropia lividipennis</i> (Mannerheim, 1830)	0	0	0	0	0	0	0	1	1	0	1
<i>Acrotona exigua</i> (Erichson, 1837)	0	0	0	0	1	1	1	1	0	1	0
<i>Acrotona sylvicola</i> (Kraatz, 1856)	0	0	0	0	1	1	0	1	0	0	0
<i>Acrotona pygmaea</i> (Gravenhorst, 1802)	1	1	0	0	0	0	0	1	1	1	1
<i>Acrotona convergens</i> (Strand, 1958)	0	0	0	0	1	0	0	0	0	0	0

<i>Acrotona obfuscata</i> (Gravenhorst, 1802)	0	0	0	0	1	0	1	1	0	0	1
<i>Acrotona troglodytes</i> (Motschulsky, 1858)	0	0	0	0	0	1	0	1	0	0	0
<i>Acrotona pseudotenera</i> (Cameron, 1933)	0	0	0	0	0	0	0	0	0	0	1
<i>Acrotona parens</i> (Mulsant & Rey, 1852)	0	0	0	0	0	1	0	1	0	0	0
<i>Acrotona muscorum</i> (Brisout de Barneville, 1860)	1	1	0	0	0	1	1	1	0	1	1
<i>Acrotona aterrima</i> (Gravenhorst, 1802)	1	0	0	0	1	1	0	1	1	1	1
<i>Acrotona benicki</i> (Allen, 1940)	0	0	0	0	0	0	0	1	1	0	1
<i>Acrotona parvula</i> (Mannerheim, 1830)	1	1	0	0	0	0	0	1	1	0	1
<i>Actophylla varendorffiana</i> (Bernhaur & Scheerpeltz, 1926)	0	0	0	0	0	0	1	0	0	0	0
<i>Coprothassa melanaria</i> (Mannerheim, 1830)	0	0	0	0	0	0	1	0	1	1	0
<i>Halobrecta puncticeps</i> (Thomson, 1852)	0	0	0	0	0	0	1	1	0	0	0
<i>Halobrecta flavipes</i> Thomson, 1861	0	0	0	0	0	0	1	1	0	0	0
<i>Atheta coriaria</i> (Kraatz, 1856)	1	1	0	0	0	0	0	0	1	1	1
<i>Amischa decipiens</i> (Sharp, 1869)	0	0	0	1	1	1	1	1	0	0	1
<i>Amischa nigrofusca</i> (Stephens, 1832)	0	0	0	0	0	1	0	1	0	0	1
<i>Amischa analis</i> (Gravenhorst, 1802)	0	0	0	0	1	1	0	1	0	1	0
<i>Amischa bifoveolata</i> (Mannerheim, 1830)	0	0	0	0	0	1	0	1	0	0	1
<i>Pycnota paradoxa</i> (Mulsant & Rey, 1861)	0	1	0	0	1	0	0	0	0	0	1
<i>Pachyatheta mortuorum</i> (Thomson, C.G., 1867)	1	0	0	1	0	0	0	0	0	0	0
<i>Pachyatheta cribrata</i> (Kraatz, 1856)	1	0	0	0	0	0	0	1	1	0	1
<i>Thamiaraea cinnamomea</i> (Gravenhorst, 1802)	0	0	0	1	0	0	0	0	0	0	0
<i>Thamiaraea hospita</i> (Märkel, 1844)	0	0	0	1	0	0	0	0	0	0	0
<i>Falagria caesa</i> Erichson, 1837	0	1	0	0	0	0	0	1	1	0	1
<i>Falagria sulcatula</i> (Gravenhorst, 1806)	0	0	0	0	0	0	0	0	0	0	1
<i>Myrmecopora sulcata</i> (Kiesenwetter, 1850)	0	0	0	0	1	0	1	0	0	0	1
<i>Borboropora kraatzi</i> Fuss, 1862	0	0	0	0	0	0	1	0	1	1	0
<i>Bohemiellina flavipennis</i> (Cameron, 1920)	0	0	0	0	0	1	1	1	1	0	1
<i>Cordalia obscura</i> (Gravenhorst, 1802)	1	0	0	0	1	0	0	0	1	1	1
<i>Myrmecocephalus concinnus</i> (Erichson, 1839)	0	0	0	0	0	0	0	1	0	0	1
<i>Falagrioma thoracica</i> (Stephens, 1832)	0	0	1	0	1	1	1	1	0	0	1
<i>Anaulacaspis nigra</i> (Gravenhorst, 1802)	0	0	0	0	0	1	1	1	0	0	0
<i>Drusilla canaliculata</i> (Fabricius, 1787)	0	0	1	0	1	1	1	1	0	0	1
<i>Zyras collaris</i> (Paykull, 1800)	0	0	1	0	1	1	0	1	0	0	0
<i>Pella limbatus</i> (Paykull, 1789)	0	0	1	0	0	0	0	1	0	0	0

<i>Pella funestus</i> (Gravenhorst, 1806)	0	0	1	0	0	0	0	1	0	0	0
<i>Pella humeralis</i> (Gravenhorst, 1802)	0	0	1	0	0	0	0	1	0	0	0
<i>Pella cognatus</i> (Märkel, 1842)	0	0	0	0	0	0	1	0	0	0	0
<i>Pella lugens</i> (Gravenhorst, 1802)	0	0	1	0	0	0	0	0	0	0	0
<i>Pella laticollis</i> (Märkel, 1842)	0	0	0	0	0	0	0	0	0	0	0
<i>Lomechusoides strumosus</i> (Fabricius, 1792)	0	0	1	0	1	0	0	0	0	0	0
<i>Lomechusa emarginata</i> (Paykull, 1789)	0	0	1	0	1	1	0	0	0	0	0
<i>Lomechusa paradoxa</i> Gravenhorst, 1806	0	0	1	0	1	0	1	0	0	0	0
<i>Lomechusa pubicollis</i> Brisout de Barneville, 1860	0	0	1	0	0	0	0	0	0	0	0
<i>Gyrophæna nitidula</i> (Gyllenhaal, 1810)	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna pulchella</i> Heer, 1839	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna affinis</i> Mannerheim, 1830	1	0	0	1	1	0	0	1	0	0	0
<i>Gyrophæna rousi</i> Dvorak, 1966	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna nana</i> (Paykull, 1800)	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna pseudonana</i> Strand, 1939	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna gentilis</i> Erichson, 1839	1	0	0	0	1	0	0	0	0	0	0
<i>Gyrophæna poweri</i> Crotch, 1866	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna minima</i> Erichson, 1837	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna munsteri</i> Strand, 1935	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna fasciata</i> (Marsham, 1802)	1	0	0	0	1	0	0	0	0	0	0
<i>Gyrophæna congrua</i> Erichson, 1837	1	0	0	1	0	0	0	0	0	0	0
<i>Gyrophæna hanseni</i> Strand, 1946	1	0	0	1	0	0	0	0	0	0	0
<i>Gyrophæna williamsi</i> Strand, 1935	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna bihamata</i> Thomson, 1867	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna lucidula</i> Erichson, 1837	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna joyi</i> Wendeler, 1924	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna joyioides</i> Wüsthoff, 1937	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna angustata</i> (Stephens, 1832)	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna strictula</i> Erichson, 1839	1	0	0	0	0	0	0	0	0	0	0
<i>Gyrophæna boleti</i> (Linnaeus, 1758)	1	0	0	0	0	0	0	0	0	0	0
<i>Agaricochara latissima</i> (Stephens, 1832)	1	0	0	0	0	0	0	0	0	0	0
<i>Encephalus complicans</i> Stephens, 1832	0	1	0	0	1	0	1	1	0	0	0
<i>Bolitochara obliqua</i> Erichson, 1837	1	0	0	1	1	0	0	0	0	0	0
<i>Bolitochara mulsanti</i> Sharp, 1875	1	0	0	1	1	0	0	0	0	0	0

<i>Bolitochara pulchra</i> (Gravenhorst, 1806)	1	0	0	1	0	0	0	0	0	0	0
<i>Bolitochara lucida</i> (Gravenhorst, 1802)	1	0	0	1	0	0	0	0	0	0	0
<i>Leptusa pulchella</i> (Mannerheim, 1830)	0	0	0	1	0	0	0	0	0	0	0
<i>Leptusa norvegica</i> Strand, 1941	0	0	0	1	0	0	0	0	0	0	0
<i>Leptusa fumida</i> (Erichson, 1839)	0	0	0	1	0	0	0	0	0	0	0
<i>Leptusa ruficollis</i> (Erichson, 1839)	0	0	0	1	0	0	0	0	0	0	0
<i>Tachyusida gracilis</i> (Erichson, 1837)	0	0	1	0	0	0	0	1	0	0	0
<i>Euryusa castanoptera</i> Kraatz, 1856	0	0	0	1	1	1	0	0	0	0	0
<i>Heterota plumbea</i> (Waterhouse, 1858)	0	0	0	0	0	0	1	0	0	0	1
<i>Silusa rubiginosa</i> Erichson, 1837	0	0	0	1	0	0	0	0	0	0	0
<i>Anomognathus cuspidatus</i> (Erichson, 1839)	0	0	0	1	0	0	0	0	0	0	0
<i>Thecturota marchii</i> (Doderö, 1922)	0	0	0	0	0	0	0	1	0	0	1
<i>Homalota plana</i> (Gyllenhal, 1810)	0	0	0	1	0	0	0	0	0	0	0
<i>Pseudomicrodota paganettii</i> (Bernhauer, 1909)	0	0	0	1	0	0	0	0	0	1	0
<i>Cyphea curtula</i> (Erichson, 1837)	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa complanata</i> Erichson, 1839	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa depressa</i> Mäklin, 1845	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa tachyporoides</i> (Waltl, 1838)	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa incompleta</i> Sjöberg, 1934	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa suecica</i> Johnson & Lundberg, 1977	0	0	0	1	0	0	0	0	0	0	1
<i>Placusa atrata</i> (Mannerheim, 1830)	0	0	0	1	0	0	0	0	0	0	0
<i>Placusa pumilio</i> (Gravenhorst, 1802)	0	0	0	1	0	0	0	0	0	0	0
<i>Autalia impressa</i> (Olivier, 1795)	1	0	0	0	1	0	0	0	0	1	1
<i>Autalia longicornis</i> Scheerpeltz, 1947	1	0	0	0	1	0	0	0	0	1	0
<i>Autalia rivularis</i> (Gravenhorst, 1802)	1	0	0	0	0	0	0	0	1	1	1
<i>Autalia puncticollis</i> Sharp, 1864	0	0	0	0	0	0	0	0	1	0	0
<i>Phytosus spinifer</i> Curtis, 1838	0	0	0	0	0	0	1	0	0	0	0
<i>Phytosus balticus</i> Kraatz, 1859	0	0	0	0	0	0	0	0	0	0	0
<i>Arena tabida</i> (Kiesenwetter, 1850)	0	0	0	0	0	0	0	0	0	0	0
<i>Diglotta sinuaticollis</i> (Mulsant & Rey, 1870)	0	0	0	0	0	0	1	0	0	0	0
<i>Diglotta mersa</i> (Haliday, 1837)	0	0	0	0	0	0	1	0	0	0	0
<i>Hygronoma dimidiata</i> (Gravenhorst, 1806)	1	0	0	0	1	1	0	1	0	0	0
<i>Holobus apicatus</i> (Erichson, 1837)	1	0	0	1	0	0	0	1	0	0	1
<i>Holobus flavicornis</i> (Lacordaire, 1835)	0	0	0	1	1	0	1	1	0	0	0

<i>Oligota granaria</i> Erichson, 1837	1	0	0	1	0	0	0	0	0	0	1
<i>Oligota parva</i> Kraatz, 1862	0	0	0	0	0	0	0	0	1	0	1
<i>Oligota inflata</i> Mannerheim, 1830	0	0	0	0	0	0	0	1	1	0	1
<i>Oligota punctulata</i> Heer, 1839	0	0	0	0	1	0	0	0	0	0	0
<i>Oligota pusillima</i> (Gravenhorst, 1806)	1	0	1	0	1	0	0	1	1	0	1
<i>Oligota picipes</i> Stephens, 1832	0	0	0	0	1	0	0	0	0	0	1
<i>Oligota pumilio</i> Kiesenwetter, 1858	0	0	0	0	1	0	0	1	1	0	1
<i>Cypha longicornis</i> (Paykull, 1800)	0	0	0	1	1	1	0	1	0	0	0
<i>Cypha aprilis</i> (Rey, 1882)	0	0	0	0	0	0	0	1	0	0	1
<i>Cypha tarsalis</i> (Luze, 1902)	0	0	0	0	1	1	1	1	0	0	0
<i>Cypha laeviuscula</i> (Mannerheim, 1830)	0	0	0	0	1	1	0	1	0	0	0
<i>Cypha discoidea</i> (Erichson, 1839)	0	0	0	0	1	0	0	1	0	0	0
<i>Cypha suecica</i> (Palm, 1936)	0	0	0	0	1	0	0	0	0	0	0
<i>Cypha nitida</i> (Palm, 1935)	0	0	0	0	0	0	0	1	0	0	1
<i>Cypha pulicaria</i> (Erichson, 1839)	0	0	0	1	1	1	0	1	0	0	0
<i>Cypha seminulum</i> (Erichson, 1839)	1	0	0	0	1	0	1	0	0	0	1
<i>Cypha hansenii</i> (Palm, 1949)	0	0	0	1	1	0	0	0	0	0	0
<i>Cypha punctum</i> (Motschulsky, 1857)	1	0	1	0	0	0	0	0	1	0	1
<i>Myllaena dubia</i> (Gravenhorst, 1806)	0	0	0	0	1	1	1	1	0	0	0
<i>Myllaena intermedia</i> Erichson, 1837	0	0	0	0	1	1	1	1	0	0	0
<i>Myllaena kraatzii</i> Sharp, 1871	0	0	0	0	0	1	0	1	0	0	0
<i>Myllaena elongata</i> (Matthews, 1838)	0	0	0	0	0	1	1	1	0	0	0
<i>Myllaena brevicornis</i> (Matthews, 1838)	0	0	0	0	1	1	0	1	0	0	0
<i>Myllaena gracilis</i> (Matthews, 1838)	0	0	0	0	1	1	0	1	0	0	0
<i>Myllaena minuta</i> (Gravenhorst, 1806)	0	0	0	0	1	1	1	0	0	0	0
<i>Myllaena infuscata</i> Kraatz, 1853	0	1	0	0	0	1	0	1	0	0	0
<i>Gymnusa brevicollis</i> (Paykull, 1800)	0	0	0	0	1	1	0	1	0	0	0
<i>Deinopsis erosa</i> (Stephens, 1832)	0	0	0	0	1	1	1	1	0	0	0
<i>Scaphidium quadrimaculatum</i> Olivier, 1790	1	0	0	1	0	0	0	0	0	0	0
<i>Scaphisoma agaricinum</i> (Linnaeus, 1758)	1	0	0	1	0	0	0	1	0	0	0
<i>Scaphisoma inopinatum</i> Löbl, 1967	1	0	0	1	0	0	0	1	0	0	0
<i>Scaphisoma boleti</i> (Panzer, 1793)	1	0	0	1	0	1	0	1	0	0	0
<i>Scaphisoma subalpinum</i> Reitter, 1881	1	0	0	1	0	0	0	1	0	0	0
<i>Scaphisoma balcanicum</i> Tamanini, 1954	1	0	0	1	0	0	0	1	0	0	0

<i>Scaphisoma boreale</i> Lundblad, 1952	1	0	0	1	0	0	0	1	0	0	0
<i>Scaphisoma assimile</i> Erichson, 1845	1	0	0	1	0	0	0	1	0	0	0
<i>Syntomium aeneum</i> (Müller, 1821)	0	0	0	1	1	1	1	0	0	0	0
<i>Deleaster dichrous</i> (Gravenhorst, 1802)	0	0	0	0	1	0	1	1	0	0	0
<i>Coprophilus striatulus</i> (Fabricius, 1793)	0	1	0	1	1	0	0	1	0	0	1
<i>Manda mandibularis</i> (Gyllenhal, 1827)	0	0	0	0	1	0	0	1	0	0	1
<i>Planeustomus palpalis</i> (Erichson, 1839)	0	0	0	0	1	0	0	1	0	0	0
<i>Ochtheophilus rosenhaueri</i> (Kiesenwetter, 1850)	0	0	0	0	0	0	1	0	0	0	0
<i>Thinobius ciliatus</i> Kiesenwetter, 1844	0	0	0	0	1	0	0	0	0	0	0
<i>Thinobius crinifer</i> Smetana, 1959	0	0	0	0	0	0	0	1	0	0	1
<i>Thinobius brevipennis</i> Kiesenwetter, 1850	0	0	0	0	0	1	1	0	0	0	0
<i>Thinodromus arcuatus</i> (Stephens, 1834)	0	0	0	0	1	0	1	0	0	0	0
<i>Carpelimus bilineatus</i> Stephens, 1834	0	0	0	0	0	1	1	1	1	0	1
<i>Carpelimus rivularis</i> (Motschulsky, 1860)	0	0	0	0	1	0	1	1	0	0	0
<i>Carpelimus obesus</i> (Kiesenwetter, 1844)	0	0	0	0	0	0	1	1	0	0	0
<i>Carpelimus fuliginosus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	1	1	0	1
<i>Carpelimus lindrothi</i> (Palm, 1943)	0	0	0	0	0	1	0	1	0	0	1
<i>Carpelimus impressus</i> (Lacordaire, 1835)	0	0	0	0	1	0	1	1	0	0	0
<i>Carpelimus heidenreichi</i> L. Benick, 1939	0	0	0	0	0	0	1	1	0	0	1
<i>Carpelimus corticinus</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	1	0	0	0
<i>Carpelimus foveolatus</i> (Sahlberg, 1832)	0	0	0	0	0	0	1	1	0	0	0
<i>Carpelimus halophilus</i> (Kiesenwetter, 1844)	0	0	0	0	0	0	1	1	0	0	0
<i>Carpelimus despectus</i> (Baudi, 1870)	0	0	0	0	0	1	1	1	0	0	0
<i>Carpelimus zealandicus</i> (Sharp, 1900)	0	0	0	0	0	0	1	0	0	0	0
<i>Carpelimus pusillus</i> (Gravenhorst, 1802)	0	0	0	0	1	0	1	1	1	0	1
<i>Carpelimus gracilis</i> (Mannerheim, 1830)	0	0	0	0	0	0	1	1	0	0	1
<i>Carpelimus subtilis</i> (Erichson, 1839)	0	0	0	0	1	0	1	1	0	0	0
<i>Carpelimus elongatulus</i> (Erichson, 1839)	0	0	0	0	1	1	0	1	0	0	0
<i>Carpelimus schneideri</i> (Ganglbauer, 1895)	0	0	0	0	0	0	1	1	0	0	0
<i>Aploderus caelatus</i> (Gravenhorst, 1802)	0	0	0	0	0	1	0	1	1	0	1
<i>Aploderus caesus</i> (Erichson, 1839)	0	0	0	0	1	1	0	1	0	0	1
<i>Bledius tricornis</i> (Herbst, 1784)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius limicola</i> Tottenham, 1940	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius furcatus</i> (Olivier, 1811)	0	0	0	0	0	0	1	0	0	0	0

<i>Bledius bicornis</i> (Germar, 1823)	0	0	0	0	0	0	0	0	0	0	0
<i>Bledius diota</i> Schiødte, 1866	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius dissimilis</i> Erichson, 1840	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius occidentalis</i> Bondroit, 1907	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius cribricollis</i> Heer, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius femoralis</i> (Gyllenhal, 1827)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius gallicus</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius procerulus</i> Erichson, 1840	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius atricapillus</i> (Germar, 1825)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius praetermissus</i> Williams, 1929	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius nanus</i> Erichson, 1840	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius talpa</i> (Gyllenhal, 1810)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius subterraneus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius defensus</i> Fauvel, 1872	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius pallipes</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius fuscipes</i> Rye, 1865	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius terebrans</i> (Schiødte, 1866)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius filipes</i> Sharp, 1911	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius longulus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius opacus</i> (Block, 1799)	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius baudii</i> Fauvel, 1872	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius pygmaeus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius pusillus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius erraticus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius fergussoni</i> Joy, 1912	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius subniger</i> Schneider, 1898	0	0	0	0	0	0	1	0	0	0	0
<i>Bledius tibialis</i> Heer, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Oxytelus sculptus</i> Gravenhorst, 1806	0	0	0	0	0	0	0	0	1	0	1
<i>Oxytelus migrator</i> Fauvel, 1904	0	0	0	0	0	0	0	1	1	0	1
<i>Oxytelus fulvipes</i> Erichson, 1839	0	0	0	0	0	1	0	1	0	0	0
<i>Oxytelus piceus</i> (Linnaeus, 1767)	0	0	0	0	1	0	0	0	1	1	1
<i>Oxytelus laqueatus</i> (Marsham, 1802)	0	0	0	0	0	0	0	1	1	1	1
<i>Anotylus insecatus</i> (Gravenhorst, 1806)	0	0	0	0	1	0	1	1	0	0	1
<i>Anotylus rugifrons</i> (Hochhuth, 1849)	0	0	0	0	0	0	0	1	0	0	1

<i>Anotylus rugosus</i> (Fabricius, 1775)	1	1	0	0	0	1	0	1	1	1	1
<i>Anotylus maritimus</i> Thomson, 1861	0	0	0	0	0	0	1	1	0	1	0
<i>Anotylus inustus</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	0	1	0	1
<i>Anotylus sculpturatus</i> (Gravenhorst, 1806)	1	1	0	0	0	0	0	0	1	1	1
<i>Anotylus mutator</i> (Lohse, 1963)	1	1	0	0	0	0	0	1	1	1	1
<i>Anotylus nitidulus</i> (Gravenhorst, 1802)	1	0	0	0	0	1	0	1	1	1	1
<i>Anotylus petzi</i> (Bernhauer 1914)	0	0	0	0	0	0	1	1	0	0	0
<i>Anotylus complanatus</i> (Erichson, 1839)	1	1	0	0	1	0	0	1	1	0	1
<i>Anotylus clypeonitens</i> (Pandellé, 1867)	1	0	0	0	0	0	0	1	1	0	1
<i>Anotylus pumilus</i> (Erichson, 1839)	0	0	0	0	0	0	0	1	1	0	1
<i>Anotylus hamatus</i> (Fairmaire & Laboulbène, 1856)	0	0	0	0	0	0	0	0	1	0	0
<i>Anotylus saulcyi</i> (Pandellé, 1867)	0	1	0	0	0	0	0	0	0	0	0
<i>Anotylus fairmairei</i> (Pandellé, 1867)	0	0	0	0	0	0	0	1	1	0	0
<i>Anotylus clavatus</i> (A. Strand, 1946)	1	0	0	0	0	0	0	0	0	0	0
<i>Anotylus tetracarınatus</i> (Block, 1799)	1	1	0	0	0	1	0	1	1	1	1
<i>Platystethus arenarius</i> (Geoffroy, 1785)	1	0	0	0	0	0	0	0	1	1	1
<i>Platystethus cornutus</i> (Gravenhorst, 1802)	0	0	0	0	1	0	1	0	0	0	1
<i>Platystethus alutaceus</i> Thomson, 1861	0	0	0	0	0	0	1	1	0	0	0
<i>Platystethus nodifrons</i> Mannerheim, 1830	0	0	0	0	0	0	0	1	1	0	0
<i>Platystethus nitens</i> (Sahlberg, 1832)	0	0	0	0	1	0	0	1	1	0	1
<i>Platystethus degener</i> Mulsant & Rey, 1878	0	0	0	0	0	0	0	1	0	0	0
<i>Oxyporus rufus</i> (Linnaeus, 1758)	1	0	0	0	0	0	0	0	0	0	0
<i>Oxyporus maxillosus</i> Fabricius, 1793	1	0	0	0	0	0	0	0	0	0	0
<i>Stenus biguttatus</i> (Linnaeus, 1758)	0	0	0	0	0	0	1	1	0	0	1
<i>Stenus comma</i> LeConte, 1863	0	0	0	0	0	0	1	1	0	0	1
<i>Stenus guttula</i> Müller, 1821	0	0	0	0	0	1	1	0	0	0	0
<i>Stenus fossulatus</i> Erichson, 1840	0	0	0	0	0	0	1	0	0	0	0
<i>Stenus aterrimus</i> Erichson, 1839	0	0	1	0	1	0	0	0	0	0	0
<i>Stenus junı</i> (Paykull, 1789)	0	0	0	0	1	1	0	1	0	0	1
<i>Stenus calcaratus</i> Scriba, 1864	0	0	0	0	0	0	1	1	0	0	0
<i>Stenus ater</i> Mannerheim, 1830	0	0	0	0	0	0	1	1	0	0	1
<i>Stenus longitarsis</i> Thomson, 1851	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus fasciculatus</i> J. Sahlberg, 1871	0	0	0	0	0	1	1	0	0	0	0
<i>Stenus lustrator</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	1

<i>Stenus proditor</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus gallicus</i> Fauvel, 1873	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus sylvester</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus clavicornis</i> (Scopoli, 1763)	0	0	0	0	1	1	1	1	0	0	1
<i>Stenus providus</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	1
<i>Stenus scrutator</i> Erichson, 1840	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus bimaculatus</i> Gyllenhal, 1810	0	0	0	0	0	0	0	1	0	0	1
<i>Stenus palposus</i> Zetterstedt, 1838	0	0	0	0	0	0	1	1	0	0	0
<i>Stenus boops</i> Ljungh, 1810	0	0	0	0	0	0	1	1	0	0	0
<i>Stenus incrassatus</i> Erichson, 1839	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus melanarius</i> Stephens, 1833	0	0	0	0	0	1	1	1	0	0	0
<i>Stenus morio</i> Gravenhorst, 1806	0	0	0	0	1	0	1	0	0	0	1
<i>Stenus excubitor</i> Erichson, 1839	0	0	0	0	1	0	0	0	0	0	0
<i>Stenus atratulus</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	1
<i>Stenus melanopus</i> (Marsham, 1802)	0	0	0	0	0	1	1	1	0	0	0
<i>Stenus canaliculatus</i> Gyllenhal, 1827	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus nitens</i> Stephens, 1833	0	0	0	0	0	1	0	0	0	0	0
<i>Stenus vimulus</i> Casey, 1884	0	0	0	0	1	0	0	0	0	0	0
<i>Stenus fuscipes</i> Gravenhorst, 1802	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus argus</i> Gravenhorst, 1806	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus europaeus</i> Puthz, 1966	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus cautus</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	1
<i>Stenus pusillus</i> Stephens, 1833	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus nanus</i> Stephens, 1833	0	0	0	0	1	1	1	1	0	0	1
<i>Stenus assequens</i> Rey, 1884	0	0	0	0	0	1	1	0	0	0	1
<i>Stenus circularis</i> Gravenhorst, 1802	0	0	0	0	1	0	0	1	0	0	1
<i>Stenus pumilio</i> Erichson, 1839	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus humilis</i> Erichson, 1839	0	0	0	1	1	1	0	1	0	0	0
<i>Stenus carbonarius</i> Gyllenhal, 1827	0	0	0	0	1	0	1	1	0	0	0
<i>Stenus glabellus</i> Thomson, 1870	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus opticus</i> Gravenhorst, 1806	0	0	0	0	0	0	1	1	0	0	0
<i>Stenus crassus</i> Stephens, 1833	0	0	0	0	0	0	0	1	0	0	1
<i>Stenus formicetorum</i> Mannerheim, 1843	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus intermedius</i> Rey, 1884	0	0	0	0	0	0	1	0	0	0	0

<i>Stenus brunnipes</i> Stephens, 1833	0	1	0	0	1	1	0	1	0	0	1
<i>Stenus nigritulus</i> Gyllenhal, 1827	0	0	0	0	1	0	0	1	0	0	1
<i>Stenus latifrons</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus fulvicornis</i> Stephens, 1833	0	0	0	0	1	1	0	1	0	0	1
<i>Stenus tarsalis</i> Ljungh, 1810	0	0	0	0	0	0	0	1	0	0	1
<i>Stenus bohemicus</i> Machulka, 1947	0	0	0	0	0	0	0	0	0	0	0
<i>Stenus oscillator</i> Rye, 1870	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus similis</i> (Herbst, 1784)	0	0	0	0	0	0	0	1	0	0	0
<i>Stenus solutus</i> Erichson, 1840	0	0	0	0	0	0	0	1	0	0	0
<i>Stenus cicindeloides</i> (Schaller, 1783)	0	0	0	0	1	0	0	0	0	0	0
<i>Stenus fornicatus</i> Stephens, 1833	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus pallitarsis</i> Stephens, 1833	0	0	0	0	1	1	1	1	0	0	0
<i>Stenus niveus</i> Fauvel, 1865	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus binotatus</i> Ljungh, 1804	0	0	0	0	1	0	0	1	0	0	0
<i>Stenus pubescens</i> Stephens, 1833	0	0	0	0	1	0	0	1	0	0	0
<i>Stenus umbratilis</i> Casey, 1884	0	0	0	0	1	0	0	1	0	0	0
<i>Stenus flavipes</i> Stephens, 1833	0	0	0	0	0	1	0	1	0	0	1
<i>Stenus nitidiusculus</i> Stephens, 1833	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus picipennis</i> Erichson, 1840	0	0	0	0	0	1	1	1	0	0	0
<i>Stenus bifoveolatus</i> Gyllenhal, 1827	0	0	0	0	1	1	0	1	0	0	0
<i>Stenus picipes</i> Stephens, 1833	0	0	0	0	1	1	1	1	0	0	1
<i>Stenus brevipennis</i> Thomson, 1851	0	0	0	0	0	1	0	0	0	0	0
<i>Stenus impressus</i> Germar, 1824	0	0	0	0	1	1	0	1	0	0	1
<i>Stenus ludyi</i> Fauvel, 1886	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus ochropus</i> Kiesenwetter, 1858	0	0	0	0	1	1	0	0	0	0	1
<i>Stenus palustris</i> Erichson, 1839	0	0	0	0	0	1	0	0	0	0	1
<i>Stenus flavipalpis</i> Thomson, 1860	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus geniculatus</i> Gravenhorst, 1806	0	0	0	0	1	1	0	0	0	0	0
<i>Stenus pallipes</i> Gravenhorst, 1802	0	0	0	0	1	1	0	0	0	0	1
<i>Dianous coerulescens</i> (Gyllenhal, 1810)	0	0	0	0	0	1	0	1	0	0	0
<i>Euaesthetus ruficapillus</i> (Lacordaire, 1835)	0	0	0	0	1	1	0	0	0	0	1
<i>Euaesthetus laeviusculus</i> Mannerheim, 1844	0	0	0	0	1	1	0	1	0	0	0
<i>Euaesthetus bipunctatus</i> (Ljungh, 1804)	0	0	0	0	1	1	0	1	0	0	0
<i>Paederidus ruficollis</i> (Fabricius, 1781)	0	0	0	0	0	0	1	0	0	0	0

<i>Paederus riparius</i> (Linnaeus, 1758)	0	0	0	0	1	1	1	1	0	0	0
<i>Paederus littoralis</i> Gravenhorst, 1802	0	0	0	0	0	0	1	1	0	0	1
<i>Paederus fuscipes</i> Curtis, 1826	0	0	0	0	1	0	1	1	0	0	0
<i>Astenus procerus</i> (Gravenhorst, 1806)	0	0	0	0	1	0	1	1	0	0	1
<i>Astenus pulchellus</i> (Heer, 1839)	0	0	0	0	1	0	0	1	1	0	1
<i>Astenus gracilis</i> (Paykull, 1789)	0	0	1	0	1	0	1	1	0	0	0
<i>Astenus lyonesius</i> (Joy, 1908)	0	0	0	0	0	0	1	0	0	0	0
<i>Astenus immaculatus</i> Stephens, 1833	0	0	0	1	1	1	1	1	0	0	1
<i>Rugilus fragilis</i> (Gravenhorst, 1806)	0	0	0	0	0	1	0	1	0	0	0
<i>Rugilus rufipes</i> (Germar, 1836)	0	0	0	0	1	0	0	1	1	0	1
<i>Rugilus orbiculatus</i> (Paykull, 1789)	0	0	0	0	1	1	0	1	1	0	1
<i>Rugilus erichsoni</i> (Fauvel, 1867)	0	0	0	0	1	1	1	1	0	0	1
<i>Rugilus similis</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	1
<i>Rugilus geniculatus</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	1
<i>Medon apicalis</i> (Kraatz, 1857)	0	1	0	1	1	0	0	0	0	0	0
<i>Medon brunneus</i> (Erichson, 1839)	0	1	0	0	0	1	0	1	1	0	1
<i>Medon castaneus</i> (Gravenhorst, 1802)	0	1	0	0	0	0	0	1	0	0	1
<i>Medon ripicola</i> (Kraatz, 1854)	0	1	0	0	0	0	0	0	0	0	1
<i>Luzea nigrutilus</i> Erichson, 1907	0	0	0	0	0	0	0	1	0	0	1
<i>Sunius melanocephalus</i> (Fabricius, 1792)	0	1	1	0	1	1	0	1	0	0	1
<i>Sunius bicolor</i> (Olivier, 1795)	0	1	0	0	1	0	0	1	0	0	1
<i>Pseudomedon obsoletus</i> (Nordmann, 1837)	0	0	0	1	1	1	0	1	0	0	1
<i>Pseudomedon obscurellus</i> (Erichson, 1840)	0	0	0	0	1	0	0	1	1	0	1
<i>Lithocharis nigriceps</i> Kraatz, 1859	0	1	1	0	0	0	0	1	1	0	1
<i>Lithocharis ochracea</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Scopaeus laevigatus</i> (Gyllenhal, 1827)	0	0	0	0	0	1	1	0	0	0	0
<i>Scopaeus sulcicollis</i> Stephens, 1833	0	0	0	0	1	1	1	0	0	0	0
<i>Scopaeus minutus</i> Erichson, 1840	0	0	0	0	1	0	1	0	0	0	0
<i>Scopaeus pusillus</i> Kiesenwetter, 1843	0	0	0	0	0	0	0	1	0	0	0
<i>Scopaeus minimus</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	1
<i>Lobrathium multipunctum</i> (Gravenhorst, 1802)	0	1	0	0	0	0	0	0	0	0	0
<i>Tetartopeus zetterstedti</i> Rye, 1872	0	0	0	0	1	1	1	0	0	0	0
<i>Tetartopus rufonitidis</i> (Reitter, 1909)	0	0	0	0	0	0	0	0	0	0	1
<i>Tetartopeus sphagnetorum</i> (Muona, 1977)	0	0	0	0	0	1	0	1	0	0	0

<i>Tetartopus terminatus</i> (Gravenhorst, 1802)	0	0	0	0	0	1	0	1	0	0	0
<i>Tetartopus quadratus</i> (Paykull, 1789)	0	0	0	0	0	1	0	1	0	0	0
<i>Lathrobium elongatum</i> (Linnaeus, 1767)	0	1	0	0	1	1	1	1	0	0	1
<i>Lathrobium rufipenne</i> Gyllenhal, 1813	0	0	0	0	0	1	0	0	0	0	0
<i>Lathrobium geminum</i> Kraatz, 1857	0	0	0	0	0	0	0	0	0	0	0
<i>Lathrobium pallidipenne</i> Hochhuth, 1851	0	0	0	0	0	0	1	0	0	0	0
<i>Lathrobium castaneipenne</i> Kolenati, 1846	0	0	0	0	0	1	0	1	0	0	1
<i>Lathrobium fulvipenne</i> (Gravenhorst, 1806)	0	1	0	0	1	1	1	1	0	0	1
<i>Lathrobium brunnipes</i> (Fabricius, 1792)	0	0	0	0	1	1	0	1	0	0	1
<i>Lathrobium impressum</i> Heer, 1841	0	0	0	0	1	1	0	1	0	0	0
<i>Lathrobium fovulum</i> Stephens, 1833	0	0	0	0	1	1	0	1	0	0	0
<i>Lathrobium longulum</i> Gravenhorst, 1802	0	1	0	0	1	1	1	1	0	0	1
<i>Lathrobium pallidum</i> Nordmann, 1837	0	1	0	0	1	1	1	0	0	0	1
<i>Lathrobium dilutum</i> Erichson, 1839	0	0	0	0	0	0	1	0	0	0	0
<i>Achenium humile</i> (Nicolai, 1822)	0	0	0	0	1	0	1	1	0	0	0
<i>Ochthephilum fracticorne</i> (Paykull, 1800)	0	0	0	0	0	0	0	0	0	0	0
<i>Ochthephilum collare</i> (Reitter, 1884)	0	0	0	0	0	0	0	0	0	0	0
<i>Leptacinus pusillus</i> (Stephens, 1833)	0	0	0	0	0	0	0	1	1	0	1
<i>Leptacinus formicetorum</i> Märkel, 1841	0	0	1	0	0	0	0	0	0	0	0
<i>Leptacinus sulcifrons</i> (Stephens, 1833)	0	0	0	0	0	0	0	0	1	0	1
<i>Leptacinus intermedius</i> Donisthorpe, 1936	0	0	0	0	0	0	0	1	1	0	1
<i>Leptacinus batychrus</i> (Gyllenhal, 1827)	0	0	0	0	0	0	0	1	1	0	1
<i>Phacophallus parumpunctatus</i> (Gyllenhal, 1827)	0	0	0	0	0	0	0	0	1	0	1
<i>Gauropterus fulgidus</i> (Fabricius, 1787)	0	0	0	0	0	0	0	1	1	0	1
<i>Gyrohypnus punctulatus</i> (Paykull, 1789)	0	0	0	0	0	0	0	0	1	1	1
<i>Gyrohypnus fracticornis</i> (Müller, 1776)	1	0	0	0	0	0	0	1	1	1	1
<i>Gyrohypnus angustatus</i> Stephens, 1833	0	0	0	0	0	0	0	1	0	0	1
<i>Gyrohypnus atratus</i> (Heer, 1839)	0	0	1	0	1	0	0	1	0	0	0
<i>Nudobius lentus</i> (Gravenhorst, 1806)	0	0	0	1	0	0	0	0	0	0	0
<i>Megalinus glabratus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	0	0	0	1
<i>Hypnogyra angularis</i> (Ganglbauer, 1895)	0	1	0	1	0	0	0	0	0	0	0
<i>Xantholinus linearis</i> (Olivier, 1795)	0	0	0	0	0	0	1	1	0	0	1
<i>Xantholinus longiventris</i> Heer, 1839	0	1	0	0	1	1	0	1	1	1	1
<i>Xantholinus audrasi</i> Coiffait, 1956	0	0	0	0	0	0	1	1	0	0	1

<i>Xantholinus gallicus</i> Coiffait, 1956	0	0	0	0	0	0	1	1	0	0	0
<i>Xantholinus dvoraki</i> Coiffait, 1956	0	0	0	0	0	0	0	1	0	0	0
<i>Xantholinus tricolor</i> (Fabricius, 1787)	0	0	0	1	1	1	1	1	0	0	1
<i>Xantholinus laevigatus</i> Jacobson, 1849	0	0	0	0	1	1	0	1	0	0	1
<i>Othius punctulatus</i> (Goeze, 1777)	1	1	0	0	1	1	0	1	0	1	1
<i>Othius angustus</i> Stephens, 1833	0	0	0	0	0	0	1	0	0	0	0
<i>Othius subuliformis</i> Stephens, 1833	0	1	0	0	0	1	1	1	1	0	0
<i>Atrecus affinis</i> (Paykull, 1789)	0	0	0	1	0	0	0	0	0	0	0
<i>Atrecus longiceps</i> (Fauvel, 1872)	0	0	0	1	0	0	0	0	0	0	0
<i>Erichsonius cinerascens</i> (Gravenhorst, 1802)	0	0	0	0	1	1	1	1	0	0	0
<i>Gabrius nigritulus</i> (Gravenhorst, 1802)	1	1	0	0	0	0	0	1	1	0	1
<i>Gabrius appendiculatus</i> Sharp, 1910	0	0	0	0	0	1	0	1	0	0	0
<i>Gabrius toxotes</i> Joy, 1913	0	0	0	0	1	1	1	1	0	0	0
<i>Gabrius austriacus</i> (Sheerpeltz, 1947)	0	0	0	0	0	0	0	1	0	0	1
<i>Gabrius keysianus</i> Sharp, 1910	0	0	0	0	0	0	0	1	0	0	0
<i>Gabrius breviventer</i> (Sperk, 1835)	0	0	0	0	1	0	0	0	0	0	0
<i>Gabrius splendidulus</i> (Gravenhorst, 1802)	0	0	1	1	1	0	0	1	0	0	0
<i>Gabrius osseticus</i> (Kolenati, 1846)	0	0	0	0	1	1	0	1	1	0	1
<i>Gabrius dußbergi</i> Gillerfors, 1997	0	0	0	0	0	0	1	1	0	0	0
<i>Gabrius exiguus</i> (Nordmann, 1837)	0	0	0	0	0	0	0	1	0	0	1
<i>Gabrius astutoides</i> (Strand, 1946)	0	0	0	0	0	0	1	0	0	0	0
<i>Gabrius tirolensis</i> (Luze, 1903)	0	0	0	0	0	0	1	0	0	0	0
<i>Gabrius piliger</i> Mulsant & Rey, 1876	0	0	0	0	0	0	0	1	1	1	1
<i>Gabrius trossulus</i> (Nordmann, 1837)	0	0	0	0	1	1	0	1	0	0	0
<i>Bisnius nitidulus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	0	0	0	0
<i>Bisnius fimetarius</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	0	1	1	1
<i>Bisnius puella</i> (Nordmann, 1837)	0	0	0	0	0	0	0	0	1	0	0
<i>Bisnius subuliformis</i> (Gravenhorst, 1802)	0	1	0	1	0	0	0	0	0	1	0
<i>Bisnius nigriventris</i> (Thomson, 1867)	0	0	0	0	0	0	0	0	1	1	0
<i>Bisnius sordidus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Bisnius parvus</i> (Sharp, 1874)	0	0	0	0	0	0	0	0	1	1	0
<i>Bisnius pseudoparcus</i> (Brunner, 1976)	0	0	0	0	0	0	0	0	1	1	0
<i>Bisnius cephalotes</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	0	1	1	0
<i>Gabronthus thermarum</i> (Aubé, 1850)	0	0	0	1	0	0	0	1	1	0	1

<i>Philonthus lepidus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	1	1	0	1
<i>Philonthus rectangulus</i> Sharp, 1874	1	0	0	0	0	0	0	1	1	1	1
<i>Philonthus discoideus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus salinus</i> Kiesenwetter, 1844	0	0	0	0	0	0	0	1	1	1	0
<i>Philonthus quisquiliarius</i> (Gyllenhal, 1810)	0	0	0	0	0	0	1	1	0	0	1
<i>Philonthus corvinus</i> Erichson, 1839	0	0	0	0	0	0	0	1	0	0	0
<i>Philonthus sanguinolentus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus binotatus</i> (Gravenhorst, 1806)	0	0	0	0	1	1	0	0	0	0	0
<i>Philonthus ventralis</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	1	1	0	1
<i>Philonthus intermedius</i> (Lacordaire, 1835)	0	0	0	0	0	0	1	1	1	1	1
<i>Philonthus laminatus</i> (Creutzer, 1799)	0	0	0	0	0	1	0	1	1	1	1
<i>Philonthus politus</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	1	0	1	0
<i>Philonthus succicola</i> Thomson, 1860	0	0	0	0	1	0	0	1	1	1	1
<i>Philonthus addendus</i> Sharp, 1867	0	0	0	0	1	1	0	1	0	1	1
<i>Philonthus nitidus</i> (Fabricius, 1787)	1	0	0	0	0	0	0	1	1	1	1
<i>Philonthus spinipes</i> Sharp, 1874	0	0	0	0	0	0	0	1	1	1	1
<i>Philonthus tenuicornis</i> Mulsant & Rey, 1853	1	0	0	0	1	0	0	1	1	1	1
<i>Philonthus decorus</i> (Gravenhorst, 1802)	1	0	0	1	1	1	0	0	0	0	0
<i>Philonthus cognatus</i> Stephens, 1832	1	0	0	1	1	1	0	1	1	1	0
<i>Philonthus mannerheimi</i> Fauvel, 1869	0	0	0	0	1	1	0	1	1	1	1
<i>Philonthus cruentatus</i> (Gmelin, 1790)	0	0	0	0	0	1	0	1	1	0	1
<i>Philonthus confinis</i> Strand, 1941	0	0	0	0	0	0	0	0	1	0	1
<i>Philonthus varians</i> (Paykull, 1789)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus pseudovarians</i> Strand, 1941	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus jurgans</i> Tottenham, 1937	1	0	0	0	0	0	0	1	1	0	1
<i>Philonthus marginatus</i> (Müller, 1764)	1	0	0	0	0	1	0	1	1	1	0
<i>Philonthus atratus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	1	0	0	0
<i>Philonthus nitidicollis</i> (Lacordaire, 1835)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus carbonarius</i> (Gravenhorst, 1802)	0	0	0	0	1	1	0	1	0	0	1
<i>Philonthus alpinus</i> Eppelsheim, 1875	0	0	0	0	0	0	0	0	1	0	1
<i>Philonthus albipes</i> (Gravenhorst, 1802)	1	1	0	0	1	0	0	1	1	0	1
<i>Philonthus corruscus</i> (Gravenhorst, 1802)	1	1	0	0	0	0	0	1	1	1	1
<i>Philonthus ebeninus</i> (Gravenhorst, 1802)	1	0	0	0	0	1	0	1	1	1	1
<i>Philonthus concinnus</i> (Gravenhorst, 1802)	1	1	0	0	0	0	0	1	1	1	1

<i>Philonthus rufipes</i> (Stephens, 1832)	0	0	0	0	0	0	1	0	1	0	1
<i>Philonthus debilis</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus splendens</i> (Fabricius, 1793)	0	0	0	0	0	0	0	1	0	1	1
<i>Philonthus punctus</i> (Gravenhorst, 1802)	1	0	0	0	0	0	1	1	1	0	1
<i>Philonthus fumarius</i> (Gravenhorst, 1806)	1	0	0	0	1	1	1	1	0	0	0
<i>Philonthus umbratilis</i> (Gravenhorst, 1802)	0	0	0	0	1	1	1	1	1	1	1
<i>Philonthus nigrita</i> (Gravenhorst, 1806)	0	0	0	0	0	1	0	1	0	0	0
<i>Philonthus longicornis</i> Stephens, 1832	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus parvicornis</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	1	0	1
<i>Philonthus rubripennis</i> Stephens, 1832	0	0	0	0	0	0	1	1	0	0	0
<i>Philonthus furcifer</i> Renkonen, 1937	0	0	0	0	0	0	0	1	0	0	1
<i>Philonthus micans</i> (Gravenhorst, 1802)	0	0	0	0	0	1	1	1	0	0	0
<i>Philonthus micantoides</i> Benick & Lohse, 1956	0	0	0	0	0	0	1	1	0	0	0
<i>Neobisnius villosulus</i> (Stephens, 1833)	0	0	0	0	0	0	1	1	0	0	0
<i>Neobisnius lathrobioides</i> (Baudi, 1848)	0	0	0	0	0	0	0	1	0	0	1
<i>Neobisnius procerulus</i> (Gravenhorst, 1806)	0	0	0	0	0	0	1	1	0	0	0
<i>Remus sericeus</i> Holme, 1837	0	0	0	0	0	0	0	1	0	0	0
<i>Cafius xantholoma</i> (Gravenhorst, 1806)	0	0	0	1	0	0	0	1	0	0	0
<i>Dinothenarus pubescens</i> (Degeer, 1774)	1	0	0	0	0	0	0	1	1	1	1
<i>Ontholestes tessellatus</i> (Geoffroy, 1785)	1	0	0	0	0	1	0	1	1	1	1
<i>Ontholestes murinus</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	1	1	1	1
<i>Emus hirtus</i> (Linnaeus, 1758)	0	0	0	0	0	0	0	0	1	0	0
<i>Platydracus fulvipes</i> (Scopoli, 1763)	0	0	0	0	0	0	0	0	0	0	0
<i>Platydracus stercorarius</i> (Olivier, 1795)	0	0	0	0	0	0	0	0	0	0	0
<i>Platydracus chalconcephalus</i> (Fabricius, 1801)	0	0	0	0	1	0	1	1	0	0	0
<i>Platydracus latebricola</i> (Gravenhorst, 1806)	0	0	0	0	0	0	0	1	0	0	0
<i>Staphylinus erythropterus</i> Linnaeus, 1758	0	0	1	0	1	1	0	1	1	0	0
<i>Staphylinus caesareus</i> Cederhjelm, 1798	0	0	0	0	0	0	0	1	1	1	1
<i>Staphylinus dimidiaticornis</i> Gemminger, 1851	0	0	0	0	0	0	0	1	1	1	1
<i>Ocypus olens</i> (Müller, 1764)	0	0	0	0	1	1	1	0	0	0	1
<i>Ocypus ophthalmicus</i> (Scopoli, 1763)	0	0	0	0	1	1	1	1	0	0	1
<i>Ocypus nitens</i> (Schränk, 1781)	0	0	0	1	0	0	1	1	0	0	0
<i>Ocypus brunnipes</i> (Fabricius, 1781)	1	0	0	1	1	1	1	1	0	1	0
<i>Ocypus fuscatus</i> (Gravenhorst, 1802)	0	0	0	0	1	1	1	1	0	0	1

<i>Ocypus picipennis</i> (Fabricius, 1793)	0	0	0	1	1	0	0	1	1	0	1
<i>Ocypus aeneocephalus</i> (Degeer, 1774)	0	0	0	0	1	1	1	1	0	0	1
<i>Tasgius pedator</i> (Gravenhorst, 1802)	0	0	0	0	0	0	1	0	0	0	1
<i>Tasgius ater</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	0	0	0	1
<i>Tasgius morsitans</i> (Rossi, 1790)	0	0	0	1	0	1	0	1	0	0	1
<i>Tasgius winkleri</i> (Bernhauer, 1906)	0	0	0	0	0	0	0	0	0	0	0
<i>Tasgius melanarius</i> (Heer, 1839)	0	0	0	0	0	0	0	1	0	0	1
<i>Tasgius globulifer</i> (Geoffroy, 1785)	0	0	0	0	0	0	0	0	0	0	0
<i>Creophilus maxillosus</i> (Linnaeus, 1758)	1	0	0	0	0	0	0	0	1	1	0
<i>Heterothops binotatus</i> (Gravenhorst, 1802)	0	0	0	0	0	0	0	1	0	0	0
<i>Heterothops stiglundbergi</i> Israelson, 1979	0	1	0	0	0	0	0	1	1	0	1
<i>Heterothops praeivius</i> Erichson, 1839	0	1	0	1	1	0	0	1	0	0	1
<i>Heterothops niger</i> Kraatz, 1868	0	1	0	0	0	0	0	0	0	0	1
<i>Heterothops quadripunctulus</i> (Gravenhorst, 1806)	0	1	0	1	1	0	0	1	0	0	1
<i>Heterothops dissimilis</i> (Gravenhorst, 1802)	0	0	0	0	1	0	1	1	1	0	1
<i>Heterothops minutus</i> Wollaston, 1860	0	0	0	0	0	0	0	0	0	0	1
<i>Euryporus picipes</i> (Paykull, 1800)	0	1	0	0	1	1	0	1	0	0	1
<i>Velleius dilatatus</i> (Fabricius, 1787)	0	0	1	1	0	0	0	1	0	0	0
<i>Quedius longicornis</i> Kraatz, 1857	0	1	0	0	0	0	0	1	0	0	0
<i>Quedius fulgidus</i> (Fabricius, 1792)	1	0	0	1	0	0	0	0	0	0	1
<i>Quedius nigrocaeruleus</i> Fauvel, 1876	0	1	0	1	0	0	0	0	0	0	0
<i>Quedius mesomelinus</i> (Marshall, 1802)	1	1	0	1	1	1	0	1	1	0	1
<i>Quedius maurus</i> (Sahlberg, 1830)	1	0	0	1	0	0	0	0	0	0	0
<i>Quedius cruentus</i> (Olivier, 1795)	1	1	0	1	0	0	0	0	1	0	1
<i>Quedius invreae</i> Gridelli, 1924	0	0	1	1	0	0	0	1	0	0	0
<i>Quedius brevicornis</i> (Thomson, 1860)	0	1	0	1	0	0	0	0	0	0	0
<i>Quedius puncticollis</i> (Thomson, 1867)	0	1	0	0	0	0	0	1	0	0	1
<i>Quedius brevis</i> Erichson, 1840	0	0	1	0	0	0	0	0	0	0	0
<i>Quedius vexans</i> Eppelsheim, 1881	0	1	0	0	0	0	0	0	0	0	0
<i>Quedius microps</i> Gravenhorst, 1847	0	1	0	1	0	0	0	0	0	0	0
<i>Quedius infuscatus</i> Erichson, 1840	0	1	0	1	0	0	0	0	0	0	0
<i>Quedius truncicola</i> Fairmaire & Laboulbène, 1856	0	0	1	1	0	0	0	1	0	0	0
<i>Quedius tenellus</i> Gravenhorst, 1806	0	0	0	1	0	0	0	1	0	0	0
<i>Quedius scitus</i> (Gravenhorst, 1806)	0	0	1	1	0	0	0	0	0	0	0

<i>Quedius xanthopus</i> Erichson, 1839	1	0	0	1	1	1	0	0	0	0	1
<i>Quedius lateralis</i> (Gravenhorst, 1802)	1	0	0	1	1	1	0	0	0	0	0
<i>Quedius cinctus</i> (Paykull, 1790)	1	0	0	1	1	1	0	1	1	0	1
<i>Quedius plagiatus</i> Mannerheim, 1843	0	0	0	1	0	0	0	1	0	0	0
<i>Quedius fuliginosus</i> (Gravenhorst, 1802)	0	0	0	1	1	1	0	1	0	0	1
<i>Quedius curtipennis</i> Bernhauer, 1908	0	0	0	1	1	1	0	1	0	0	1
<i>Quedius levicollis</i> (Brüllé, 1832)	0	0	0	0	0	0	0	0	0	0	0
<i>Quedius balticus</i> Korge, 1960	0	0	0	0	0	0	0	1	0	0	0
<i>Quedius subunicolor</i> Korge, 1941	0	0	0	0	0	1	0	0	0	0	0
<i>Quedius molochinus</i> (Gravenhorst, 1806)	0	1	0	0	1	1	0	1	0	0	1
<i>Quedius simplicifrons</i> Fairmaire, 1861	0	0	0	0	0	0	0	1	0	0	0
<i>Quedius auricomus</i> Kiesenwetter, 1850	0	0	0	0	0	1	0	0	0	0	0
<i>Quedius scintillans</i> (Gravenhorst, 1806)	0	0	0	0	0	0	0	1	1	0	1
<i>Quedius lucidulus</i> Erichson, 1839	0	0	0	1	1	0	0	1	0	1	1
<i>Quedius picipes</i> (Mannerheim, 1830)	1	0	0	0	1	1	0	0	0	1	0
<i>Quedius nemoralis</i> Baudi, 1848	0	1	0	0	1	1	0	1	0	0	1
<i>Quedius umbrinus</i> Erichson, 1839	0	0	0	0	1	1	0	1	0	0	0
<i>Quedius suturalis</i> Kiesenwetter, 1845	0	0	0	1	1	1	0	1	0	0	1
<i>Quedius fumatus</i> (Stephens, 1833)	0	0	0	1	1	1	0	0	0	0	0
<i>Quedius nigriceps</i> Kraatz, 1857	1	0	0	0	1	1	1	0	0	0	0
<i>Quedius maurorufus</i> (Gravenhorst, 1806)	1	0	0	0	1	1	0	1	0	0	0
<i>Quedius limbatus</i> (Heer, 1834)	0	0	0	0	0	0	0	1	0	0	1
<i>Quedius nitipennis</i> (Stephens, 1833)	0	0	0	0	1	1	0	1	0	0	0
<i>Quedius semiaeneus</i> (Stephens, 1833)	0	0	0	0	1	0	0	1	0	0	1
<i>Quedius semiobscurus</i> (Marshall, 1802)	0	1	0	0	1	1	0	1	0	0	0
<i>Quedius persimilis</i> Mulsant & Rey, 1876	0	0	0	0	0	0	0	0	0	0	0
<i>Quedius fulvicollis</i> (Stephens, 1833)	0	0	0	0	1	1	0	0	0	0	0
<i>Quedius boopoides</i> Munster, 1923	0	0	0	0	1	1	0	1	0	0	1
<i>Quedius boops</i> (Gravenhorst, 1802)	0	0	0	0	1	1	0	1	0	0	0
<i>Acylophorus wagenschieberi</i> Kiesenwetter, 1850	0	0	0	0	0	1	0	0	0	0	1
<i>Acylophorus glaberrimus</i> (Herbst, 1784)	0	0	0	0	0	1	0	1	0	0	0
<i>Atanygnathus terminalis</i> (Erichson, 1839)	0	0	0	0	0	1	0	1	0	0	1