

Z-values of the Tukey's multiple comparison test between each developmental instar for the number of antennal contacts

	Z-value	Pr(> z)
Instar 2 - Instar 1	-4.73	<0.001***
Instar 3 - Instar 1	6.46	<0.001***
Instar 4 - Instar 1	6.31	<0.001***
Instar 5 - Instar 1	-0.82	0.92
Instar 3 - Instar 2	10.38	<0.001***
Instar 4 - Instar 2	10.25	<0.001***
Instar 5 - Instar 2	3.96	<0.001***
Instar 4 - Instar 3	-0.16	1.00
Instar 5 - Instar 3	-7.2	<0.001***
Instar 5 - Instar 4	-7.05	<0.001***

Z-values of the Tukey's multiple comparison test between each developmental instar for the number of ovipositor insertions

	Z-value	Pr(> z)
Instar 2 - Instar 1	-4.27	<0.001***
Instar 3 - Instar 1	3.03	0.02*
Instar 4 - Instar 1	4.61	<0.001***
Instar 5 - Instar 1	-4.9	<0.001***
Instar 3 - Instar 2	6.85	<0.001***
Instar 4 - Instar 2	8.12	<0.001***
Instar 5 - Instar 2	-0.75	0.94
Instar 4 - Instar 3	1.66	0.45
Instar 5 - Instar 3	-7.34	<0.001***
Instar 5 - Instar 4	-8.53	<0.001***

Z-values of the Tukey's multiple comparison test between each developmental instar for the host acceptance

	Z-value	Pr(> z)
Instar 2 - Instar 1	-0.15	1.00
Instar 3 - Instar 1	-0.53	0.98
Instar 4 - Instar 1	-0.07	1.00
Instar 5 - Instar 1	-3.35	0.01**
Instar 3 - Instar 2	-0.33	1.00
Instar 4 - Instar 2	0.1	1.00
Instar 5 - Instar 2	-2.99	0.02*
Instar 4 - Instar 3	0.53	0.98
Instar 5 - Instar 3	-3.16	0.01*
Instar 5 - Instar 4	-3.79	0.001**

Z-values of the Tukey's multiple comparison test between each developmental instar for the time walking

	Z-value	Pr(> z)
Instar 2 - Instar 1	-1.38	0.64
Instar 3 - Instar 1	1.1	0.81
Instar 4 - Instar 1	0.71	0.95
Instar 5 - Instar 1	1.98	0.28
Instar 3 - Instar 2	2.48	0.10.
Instar 4 - Instar 2	2.09	0.22
Instar 5 - Instar 2	3.36	0.007**
Instar 4 - Instar 3	-0.39	0.99
Instar 5 - Instar 3	0.88	0.91
Instar 5 - Instar 4	1.26	0.71

Z-values of the Tukey's multiple comparison test between each developmental instar for the time resting

	Z-value	Pr(> z)
Instar 2 - Instar 1	1.88	0.33
Instar 3 - Instar 1	-1.58	0.51
Instar 4 - Instar 1	-1.94	0.30
Instar 5 - Instar 1	-1.95	0.29
Instar 3 - Instar 2	-3.46	0.005**
Instar 4 - Instar 2	-3.81	0.001**
Instar 5 - Instar 2	-3.83	0.001**
Instar 4 - Instar 3	-0.35	1.00
Instar 5 - Instar 3	-0.37	1.00
Instar 5 - Instar 4	-0.02	1.00

Z-values of the Tukey's multiple comparison test between each developmental instar for the number of mummies

	Z-value	Pr(> z)
Instar 2 - Instar 1	0.71	0.94
Instar 3 - Instar 1	5.61	<0.001***
Instar 4 - Instar 1	4.9	<0.001***
Instar 5 - Instar 1	-0.02	1.00
Instar 3 - Instar 2	5.26	<0.001***
Instar 4 - Instar 2	4.48	<0.001***
Instar 5 - Instar 2	-0.02	1.00
Instar 4 - Instar 3	-1.04	0.8
Instar 5 - Instar 3	-0.02	1.00
Instar 5 - Instar 4	-0.02	1.00

Z-values of the Tukey's multiple comparison test between each developmental instar for the host suitability

	Z-value	Pr(> z)
Instar 2 - Instar 1	2.43	0.1
Instar 3 - Instar 1	3.42	0.005**
Instar 4 - Instar 1	1.89	0.32
Instar 5 - Instar 1	-1.23	0.73
Instar 3 - Instar 2	0.6	0.97
Instar 4 - Instar 2	-0.9	0.90
Instar 5 - Instar 2	-3.8	0.001**
Instar 4 - Instar 3	-1.8	0.37
Instar 5 - Instar 3	-5.2	<0.001***
Instar 5 - Instar 4	-3.53	0.004**

Z-values of the Tukey's multiple comparison test between each developmental instar for the tibia size

	Z-value	Pr(> z)
Instar 4 - Instar 2	3.18	0.007**
Instar 3 - Instar 2	3.1	0.009**
Instar 1 - Instar 2	2.40	0.07.
Instar 3 - Instar 4	0.06	0.99993
Instar 1 - Instar 4	-0.07	0.99987
Instar 1 - Instar 3	-0.1	0.99959

Z-values of the Tukey's multiple comparison test between each developmental instar for the developmental time

			Z-value	Pr(> z)
Instar 4 - Instar 2			-2.71	0.03*
Instar 3 - Instar 2			-2.10	0.15
Instar 1 - Instar 2			4.14	<0.001***
Instar 3 - Instar 4			0.90	0.80
Instar 1 - Instar 4			8.07	<0.001***
Instar 1 - Instar 3			7.32	<0.001***