




Supplementary material S2 to: Aguado-Aranda P., Ricarte A., Nedeljković Z., Kelso S., Skevington J.H. & Marcos-García M.Á. 2025: Diversity and systematics of the Ibero-Balearic *Eumerus* (Diptera: Syrphidae): Providing tools for species identification. — *Eur. J. Entomol.* 122: 13–34.




**Supplementary figure 1.** Distribution ranges of the Iberian members of the *E. tricolor* species group in the Ibero-Balearic region. Confirmed records, square. Unconfirmed published records, triangle. Source: Aguado-Aranda et al. (2023).



**Supplementary figure 2.** Distribution range of *E. barbarus* in the western Mediterranean basin. Magnifications: (a) Province of Alicante, (b) Mallorca, (c) Menorca. New records, red circle. Confirmed literature records, green circle. Unconfirmed literature records, blue circle. Source: Aguado-Aranda et al. (2024).



**Supplementary figure 3.** Ibero-Balearic distribution of *E. sulcitibius*. New records, red circle. Confirmed literature records, green circle. Unconfirmed literature records, blue circle. Source: Aguado-Aranda et al. (2024).



**Supplementary figure 4.** Ibero-Balearic distribution of *E. gibbosus*. New records, red circle. Literature records, yellow circle. Source: Aguado-Aranda et al. (2024).